

CZ042.3502.4212.0270.01 Dolní Poustevna

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	180.42	179.51	178.60	177.62	176.71	175.80	174.82	173.91	172.93	172.02	171.11	170.13	180.63
BSK5	kg/d	68.46	68.12	67.78	67.40	67.06	66.72	66.34	66.00	65.62	65.28	64.94	64.56	70.74
NL	kg/d	62.76	62.44	62.13	61.78	61.47	61.16	60.81	60.50	60.15	59.84	59.53	59.18	64.85
CHSK	kg/d	125.51	124.89	124.26	123.57	122.94	122.32	121.62	121.00	120.30	119.68	119.06	118.36	129.69
Počet EO	os.	1141	1135	1129	1123	1117	1112	1105	1100	1093	1088	1082	1076	1179
odp.vod likv.na ČOV	m3/den	180.42	179.51	178.60	177.62	176.71	175.80	174.82	173.91	172.93	172.02	171.11	170.13	180.63
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT 2018 Horní Poustevna														
Množství odpadních vod	m3/den	24.60	24.60	24.45	24.30	24.15	24.15	23.85	23.85	23.70	23.55	23.55	23.25	23.25
BSK5	kg/d	9.84	9.84	9.78	9.72	9.66	9.66	9.54	9.54	9.48	9.42	9.42	9.30	9.30
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY 2018 Varnsdorf														
Množství odpadních vod	m3/den	24.72	24.56	24.40	24.32	24.16	24.00	23.92	23.76	23.68	23.52	23.36	23.28	10.08
BSK5	kg/d	6.18	6.14	6.10	6.08	6.04	6.00	5.98	5.94	5.92	5.88	5.84	5.82	2.52
NL	kg/d	5.67	5.63	5.59	5.57	5.54	5.50	5.48	5.45	5.43	5.39	5.35	5.34	2.31
CHSK	kg/d	11.33	11.26	11.18	11.15	11.07	11.00	10.96	10.89	10.85	10.78	10.71	10.67	4.62
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	180.30	179.55	178.65	177.60	176.70	175.95	174.75	174.00	172.95	172.05	171.30	170.10	193.80
BSK5	kg/d	72.12	71.82	71.46	71.04	70.68	70.38	69.90	69.60	69.18	68.82	68.52	68.04	77.52
NL	kg/d	57.09	56.82	56.54	56.21	55.94	55.66	55.33	55.06	54.73	54.45	54.18	53.85	62.54
CHSK	kg/d	114.18	113.63	113.08	112.42	111.87	111.32	110.66	110.11	109.45	108.90	108.35	107.69	125.07
Počet EO	os.	1202	1197	1191	1184	1178	1173	1165	1160	1153	1147	1142	1134	1292
Typ ČOV		Aktivační čistírna												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5 NL CHSK N-celk P-celk												
	mg/l	20.00 20.00 90.00 35.00 8.00												
Množství vyčišt.odp.vod	m3/den	180.30	179.55	178.65	177.60	176.70	175.95	174.75	174.00	172.95	172.05	171.30	170.10	193.80
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	68.51	68.23	67.89	67.49	67.15	66.86	66.41	66.12	65.72	65.38	65.09	64.64	73.64
NL	kg/d	53.48	53.22	52.97	52.66	52.40	52.14	51.84	51.58	51.27	51.01	50.75	50.44	58.66
CHSK	kg/d	97.95	97.47	97.00	96.44	95.97	95.48	94.93	94.45	93.88	93.42	92.93	92.38	107.63
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	3.61	3.59	3.57	3.55	3.53	3.52	3.50	3.48	3.46	3.44	3.43	3.40	3.88
NL	kg/d	3.61	3.59	3.57	3.55	3.53	3.52	3.50	3.48	3.46	3.44	3.43	3.40	3.88
CHSK	kg/d	16.23	16.16	16.08	15.98	15.90	15.84	15.73	15.66	15.57	15.48	15.42	15.31	17.44
Produkce kalu	m3/r	5.29	5.27	5.24	5.21	5.18	5.16	5.13	5.10	5.07	5.05	5.02	4.99	5.68
Způsob likv.kalu		odvoz na jinou ČOV												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0270.02 Horní Poustevna

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	43.58	43.35	43.12	42.82	42.67	42.44	42.14	42.06	41.76	41.53	41.38	41.08	35.64
BSK5	kg/d	16.42	16.34	16.26	16.14	16.08	16.00	15.88	15.86	15.74	15.66	15.60	15.48	12.38
NL	kg/d	15.05	14.98	14.91	14.80	14.74	14.67	14.56	14.54	14.43	14.36	14.30	14.19	11.35
CHSK	kg/d	30.10	29.96	29.81	29.59	29.48	29.33	29.11	29.08	28.86	28.71	28.60	28.38	22.70
Počet EO	os.	273	272	271	269	268	266	264	264	262	261	260	258	206
odp.vod likv.na ČOV	m3/den	31.28	31.20	30.97	30.82	30.67	30.59	30.29	30.21	30.06	29.83	29.83	29.53	35.64
odp.vod likv.v septicích	m3/den	12.30	12.15	12.15	12.00	12.00	11.85	11.85	11.85	11.70	11.70	11.55	11.55	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Velký Šenov, 2018 Dolní Poustevna												
Množství odpadních vod	m3/den	31.28	31.20	30.97	30.82	30.67	30.59	30.29	30.21	30.06	29.83	29.83	29.53	35.64
BSK5	kg/d	11.50	11.48	11.40	11.34	11.28	11.26	11.14	11.12	11.06	10.98	10.98	10.86	12.38
NL	kg/d	10.54	10.52	10.45	10.40	10.34	10.32	10.21	10.19	10.14	10.07	10.07	9.96	11.35
CHSK	kg/d	21.08	21.05	20.90	20.79	20.68	20.64	20.42	20.39	20.28	20.13	20.13	19.91	22.70
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišť.odp.vod	m3/den	12.30	12.15	12.15	12.00	12.00	11.85	11.85	11.85	11.70	11.70	11.55	11.55	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	2.46	2.43	2.43	2.40	2.40	2.37	2.37	2.37	2.34	2.34	2.31	2.31	0.00
NL	kg/d	2.67	2.63	2.63	2.60	2.60	2.57	2.57	2.57	2.54	2.54	2.50	2.50	0.00
CHSK	kg/d	4.10	4.05	4.05	4.00	4.00	3.95	3.95	3.95	3.90	3.90	3.85	3.85	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	2.46	2.43	2.43	2.40	2.40	2.37	2.37	2.37	2.34	2.34	2.31	2.31	0.00
NL	kg/d	1.85	1.82	1.82	1.80	1.80	1.78	1.78	1.78	1.76	1.76	1.73	1.73	0.00
CHSK	kg/d	4.92	4.86	4.86	4.80	4.80	4.74	4.74	4.74	4.68	4.68	4.62	4.62	0.00
Produkce kalu	m3/r	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0270.03 Karlín

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	7.62	7.54	7.54	7.39	7.39	7.39	7.31	7.31	7.31	7.16	7.16	7.16	7.23
BSK5	kg/d	2.76	2.74	2.74	2.68	2.68	2.68	2.66	2.66	2.66	2.60	2.60	2.60	2.64
NL	kg/d	2.53	2.51	2.51	2.46	2.46	2.46	2.44	2.44	2.44	2.38	2.38	2.38	2.42
CHSK	kg/d	5.06	5.02	5.02	4.91	4.91	4.91	4.88	4.88	4.88	4.77	4.77	4.77	4.84
Počet EO	os.	46	45	45	44	44	44	44	44	44	43	43	43	44
odp.vod likv.na ČOV	m3/den	1.92	1.84	1.84	1.84	1.84	1.84	1.76	1.76	1.76	1.76	1.76	1.76	1.68
odp.vod likv.v septicích	m3/den	5.70	5.70	5.70	5.55	5.55	5.55	5.55	5.55	5.55	5.40	5.40	5.40	5.55
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Velký Šenov												
Množství odpadních vod	m3/den	1.92	1.84	1.84	1.84	1.84	1.84	1.76	1.76	1.76	1.76	1.76	1.76	1.68
BSK5	kg/d	0.48	0.46	0.46	0.46	0.46	0.46	0.44	0.44	0.44	0.44	0.44	0.44	0.42
NL	kg/d	0.44	0.42	0.42	0.42	0.42	0.42	0.40	0.40	0.40	0.40	0.40	0.40	0.39
CHSK	kg/d	0.88	0.84	0.84	0.84	0.84	0.84	0.81	0.81	0.81	0.81	0.81	0.81	0.77
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišť.odp.vod	m3/den	5.70	5.70	5.70	5.55	5.55	5.55	5.55	5.55	5.55	5.40	5.40	5.40	5.55
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	1.14	1.14	1.14	1.11	1.11	1.11	1.11	1.11	1.11	1.08	1.08	1.08	1.11
NL	kg/d	1.24	1.24	1.24	1.20	1.20	1.20	1.20	1.20	1.20	1.17	1.17	1.17	1.20
CHSK	kg/d	1.90	1.90	1.90	1.85	1.85	1.85	1.85	1.85	1.85	1.80	1.80	1.80	1.85
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	1.14	1.14	1.14	1.11	1.11	1.11	1.11	1.11	1.11	1.08	1.08	1.08	1.11
NL	kg/d	0.86	0.86	0.86	0.83	0.83	0.83	0.83	0.83	0.83	0.81	0.81	0.81	0.83
CHSK	kg/d	2.28	2.28	2.28	2.22	2.22	2.22	2.22	2.22	2.22	2.16	2.16	2.16	2.22
Produkce kalu	m3/r	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0270.04 Marketa

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	4.05	3.90	3.90	3.90	3.90	3.90	3.75	3.75	3.75	3.75	3.75	3.75	3.75
BSK5	kg/d	1.62	1.56	1.56	1.56	1.56	1.56	1.50	1.50	1.50	1.50	1.50	1.50	1.50
NL	kg/d	1.49	1.43	1.43	1.43	1.43	1.43	1.38	1.38	1.38	1.38	1.38	1.38	1.38
CHSK	kg/d	2.97	2.86	2.86	2.86	2.86	2.86	2.75	2.75	2.75	2.75	2.75	2.75	2.75
Počet EO	os.	27	26	26	26	26	26	25	25	25	25	25	25	25
odp.vod likv.na ČOV	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.v septicích	m3/den	4.05	3.90	3.90	3.90	3.90	3.90	3.75	3.75	3.75	3.75	3.75	3.75	3.75
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišť.odp.vod	m3/den	4.05	3.90	3.90	3.90	3.90	3.90	3.75	3.75	3.75	3.75	3.75	3.75	3.75
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.81	0.78	0.78	0.78	0.78	0.78	0.75	0.75	0.75	0.75	0.75	0.75	0.75
NL	kg/d	0.88	0.85	0.85	0.85	0.85	0.85	0.81	0.81	0.81	0.81	0.81	0.81	0.81
CHSK	kg/d	1.35	1.30	1.30	1.30	1.30	1.30	1.25	1.25	1.25	1.25	1.25	1.25	1.25
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.81	0.78	0.78	0.78	0.78	0.78	0.75	0.75	0.75	0.75	0.75	0.75	0.75
NL	kg/d	0.61	0.59	0.59	0.59	0.59	0.59	0.56	0.56	0.56	0.56	0.56	0.56	0.56
CHSK	kg/d	1.62	1.56	1.56	1.56	1.56	1.56	1.50	1.50	1.50	1.50	1.50	1.50	1.50
Produkce kalu	m3/r	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0271.01 Doubice

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	38.94	40.13	41.34	42.65	43.79	45.10	46.31	47.50	48.76	49.87	51.13	52.34	63.95
BSK5	kg/d	13.70	14.14	14.59	15.06	15.45	15.92	16.37	16.81	17.24	17.66	18.09	18.54	22.68
NL	kg/d	12.56	12.96	13.37	13.80	14.16	14.59	15.01	15.40	15.80	16.18	16.58	16.99	20.79
CHSK	kg/d	25.12	25.91	26.74	27.60	28.33	29.19	30.01	30.81	31.60	32.37	33.16	33.98	41.58
Počet EO	os.	228	235	243	250	257	265	272	280	287	294	301	308	378
odp.vod likv.na ČOV	m3/den	31.14	32.33	33.54	34.70	35.74	36.90	37.96	39.15	40.16	41.27	42.28	43.49	63.95
odp.vod likv.v septicích	m3/den	5.70	5.70	5.70	5.85	5.85	6.00	6.15	6.15	6.30	6.30	6.45	6.45	0.00
odp.vod likv.jiným způsobem	m3/den	2.09	2.09	2.09	2.09	2.19	2.19	2.19	2.19	2.29	2.29	2.39	2.39	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY 2018 Varnsdorf														
Množství odpadních vod	m3/den	6.79	6.93	7.09	7.35	7.49	7.75	7.91	8.05	8.31	8.47	8.73	8.89	4.00
BSK5	kg/d	3.56	3.67	3.79	3.93	4.03	4.17	4.29	4.40	4.54	4.66	4.80	4.92	3.00
NL	kg/d	3.26	3.36	3.47	3.60	3.69	3.82	3.93	4.03	4.16	4.27	4.40	4.51	2.75
CHSK	kg/d	6.53	6.72	6.94	7.20	7.39	7.65	7.87	8.06	8.31	8.53	8.79	9.01	5.50
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	24.35	25.40	26.45	27.35	28.25	29.15	30.05	31.10	31.85	32.80	33.55	34.60	59.95
BSK5	kg/d	7.44	7.77	8.10	8.37	8.64	8.91	9.18	9.51	9.72	10.02	10.23	10.56	19.68
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	124	129	135	139	144	148	153	158	162	167	170	176	328
Typ ČOV		Domovní mikročist.,biof.												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5 NL CHSK N-celk P-celk												
	mg/l	30.00 30.00 110.00 30.00 6.00												
Množství vyčišt.odp.vod	m3/den	30.05	31.10	32.15	33.20	34.10	35.15	36.20	37.25	38.15	39.10	40.00	41.05	59.95
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	7.85	8.15	8.45	8.72	8.96	9.24	9.51	9.81	10.02	10.30	10.51	10.81	17.88
NL	kg/d	0.50	0.47	0.44	0.45	0.42	0.43	0.43	0.40	0.41	0.38	0.39	0.36	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	2.29	2.32	2.35	2.41	2.46	2.51	2.57	2.60	2.68	2.70	2.78	2.81	1.80
NL	kg/d	1.97	2.00	2.03	2.08	2.13	2.18	2.23	2.26	2.32	2.35	2.41	2.45	1.80
CHSK	kg/d	5.73	5.84	5.96	6.12	6.25	6.41	6.57	6.69	6.87	6.97	7.15	7.27	6.59
Produkce kalu	m3/r	0.56	0.58	0.60	0.62	0.64	0.66	0.68	0.71	0.72	0.75	0.76	0.79	1.44
Způsob likv.kalu		neurčeno												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0272.01 Filipov

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	60.07	59.77	59.62	59.49	59.19	59.04	58.91	58.61	58.46	58.33	58.03	57.88	57.75
BSK5	kg/d	24.42	24.30	24.24	24.20	24.08	24.02	23.97	23.85	23.79	23.75	23.63	23.57	23.52
NL	kg/d	22.39	22.28	22.22	22.18	22.07	22.01	21.97	21.86	21.81	21.77	21.66	21.60	21.56
CHSK	kg/d	44.77	44.55	44.44	44.36	44.14	44.03	43.95	43.73	43.62	43.53	43.31	43.20	43.12
Počet EO	os.	407	405	404	403	401	400	399	397	396	395	393	392	392
odp.vod likv.na ČOV	m3/den	60.07	59.77	59.62	59.49	59.19	59.04	58.91	58.61	58.46	58.33	58.03	57.88	57.75
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT 2028 Loučné														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.75	20.60	20.55
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.19	8.13	8.10
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY														
Množství odpadních vod	m3/den	1.12	1.12	1.12	1.14	1.14	1.14	1.16	1.16	1.16	1.18	1.18	1.18	1.20
BSK5	kg/d	0.84	0.84	0.84	0.86	0.86	0.86	0.87	0.87	0.87	0.89	0.89	0.89	0.90
NL	kg/d	0.77	0.77	0.77	0.78	0.78	0.78	0.80	0.80	0.80	0.81	0.81	0.81	0.83
CHSK	kg/d	1.54	1.54	1.54	1.57	1.57	1.57	1.60	1.60	1.60	1.62	1.62	1.62	1.65
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	60.07	59.77	59.62	59.49	59.19	59.04	58.91	58.61	58.46	58.33	78.78	78.48	78.30
BSK5	kg/d	24.42	24.30	24.24	24.20	24.08	24.02	23.97	23.85	23.79	23.75	31.82	31.70	31.62
NL	kg/d	22.39	22.28	22.22	22.17	22.06	22.00	21.95	21.84	21.78	21.73	21.62	21.56	21.56
CHSK	kg/d	44.77	44.55	44.44	44.33	44.11	44.00	43.89	43.67	43.56	43.45	43.23	43.12	43.12
Počet EO	os.	407	405	404	403	401	400	399	397	396	395	530	528	527
Typ ČOV		Akt. č. denitrif.+nitrif.												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	30.0030.00120.000.000.00												
Množství vyčišť.odp.vod	m3/den	60.07	59.77	59.62	59.49	59.19	59.04	58.91	58.61	58.46	58.33	78.78	78.48	78.30
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	22.62	22.51	22.45	22.41	22.30	22.24	22.20	22.09	22.04	22.00	29.45	29.34	29.27
NL	kg/d	20.58	20.48	20.43	20.38	20.28	20.23	20.18	20.08	20.03	19.98	19.25	19.21	19.21
CHSK	kg/d	37.56	37.38	37.29	37.19	37.01	36.92	36.82	36.64	36.54	36.45	33.78	33.70	33.72
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	1.80	1.79	1.79	1.78	1.78	1.77	1.77	1.76	1.75	1.75	2.36	2.35	2.35
NL	kg/d	1.80	1.79	1.79	1.78	1.78	1.77	1.77	1.76	1.75	1.75	2.36	2.35	2.35
CHSK	kg/d	7.21	7.17	7.15	7.14	7.10	7.08	7.07	7.03	7.02	7.00	9.45	9.42	9.40
Produkce kalu	m3/r	1.79	1.78	1.78	1.77	1.76	1.76	1.76	1.75	1.74	1.74	2.33	2.32	2.32
Způsob likv.kalu		odvoz na jinou ČOV												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0272.02 Loučné

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	19.37	19.14	18.99	18.91	18.76	18.61	18.53	18.48	18.33	18.24	20.75	20.60	20.55
BSK5	kg/d	7.10	7.02	6.96	6.94	6.88	6.82	6.80	6.77	6.71	6.69	8.19	8.13	8.10
NL	kg/d	6.51	6.44	6.38	6.36	6.31	6.25	6.23	6.21	6.15	6.13	7.51	7.45	7.43
CHSK	kg/d	13.02	12.87	12.76	12.72	12.61	12.50	12.47	12.41	12.30	12.27	15.02	14.91	14.85
Počet EO	os.	118	117	116	115	114	113	113	112	111	111	136	135	135
odp.vod likv.na ČOV	m3/den	14.32	14.09	13.94	13.86	13.71	13.71	13.63	13.48	13.33	13.24	20.75	20.60	20.55
odp.vod likv.v septicích	m3/den	5.05	5.05	5.05	5.05	5.05	4.90	4.90	5.00	5.00	5.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY 2018 Varnsdorf, 2028 Filipov														
Množství odpadních vod	m3/den	3.52	3.44	3.44	3.36	3.36	3.36	3.28	3.28	3.28	3.19	20.75	20.60	20.55
BSK5	kg/d	0.86	0.84	0.84	0.82	0.82	0.82	0.80	0.80	0.80	0.78	8.19	8.13	8.10
NL	kg/d	0.79	0.77	0.77	0.75	0.75	0.75	0.73	0.73	0.73	0.72	7.51	7.45	7.43
CHSK	kg/d	1.58	1.54	1.54	1.50	1.50	1.50	1.47	1.47	1.47	1.43	15.02	14.91	14.85
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	10.80	10.65	10.50	10.50	10.35	10.35	10.35	10.20	10.05	10.05	0.00	0.00	0.00
BSK5	kg/d	4.32	4.26	4.20	4.20	4.14	4.14	4.14	4.08	4.02	4.02	0.00	0.00	0.00
NL	kg/d	3.96	3.91	3.85	3.85	3.80	3.80	3.80	3.74	3.69	3.69	0.00	0.00	0.00
CHSK	kg/d	7.92	7.81	7.70	7.70	7.59	7.59	7.59	7.48	7.37	7.37	0.00	0.00	0.00
Počet EO	os.	72	71	70	70	69	69	69	68	67	67	0	0	0
Typ ČOV		Malá akt. čist. s nitrif.					žádná							
KONCENTRACE NA ODTOKU		stávající					navrhované řešení							
	-	BSK5	NL	CHSK	N-celk	P-celk	BSK5	NL	CHSK	N-celk	P-celk			
	mg/l	25.00	30.00	90.00	30.00	8.00	0.00	0.00	0.00	0.00	0.00			
Množství vyčišť.odp.vod	m3/den	15.85	15.70	15.55	15.55	15.40	15.25	15.25	15.20	15.05	15.05	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	4.96	4.90	4.85	4.85	4.79	4.76	4.76	4.72	4.66	4.66	0.00	0.00	0.00
NL	kg/d	4.64	4.59	4.54	4.54	4.49	4.45	4.45	4.42	4.37	4.37	0.00	0.00	0.00
CHSK	kg/d	8.45	8.35	8.26	8.26	8.16	8.11	8.11	8.03	7.93	7.93	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	1.28	1.28	1.27	1.27	1.27	1.24	1.24	1.26	1.25	1.25	0.00	0.00	0.00
NL	kg/d	1.08	1.08	1.07	1.07	1.07	1.05	1.05	1.06	1.05	1.05	0.00	0.00	0.00
CHSK	kg/d	2.99	2.98	2.97	2.97	2.95	2.89	2.89	2.92	2.90	2.90	0.00	0.00	0.00
Produkce kalu	m3/r	0.33	0.32	0.32	0.32	0.31	0.31	0.31	0.31	0.30	0.30	0.00	0.00	0.00
Způsob likv.kalu		odvoz na jinou ČOV												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0272.03 Nový Jiříkov

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030										
CELKOVÁ PRODUKCE																								
odpadních vod	m3/den	8.35	8.27	8.21	8.13	8.15	8.07	8.01	7.92	7.94	7.86	7.80	7.72	7.74										
BSK5	kg/d	2.50	2.48	2.48	2.46	2.47	2.45	2.45	2.43	2.44	2.42	2.42	2.40	2.41										
NL	kg/d	2.29	2.27	2.27	2.25	2.26	2.25	2.24	2.22	2.24	2.22	2.21	2.20	2.21										
CHSK	kg/d	4.58	4.55	4.54	4.50	4.53	4.49	4.48	4.45	4.47	4.44	4.43	4.39	4.42										
Počet EO	os.	41	41	41	40	41	40	40	40	40	40	40	39	40										
odp.vod likv.na ČOV	m3/den	8.35	8.27	8.21	8.13	8.15	8.07	8.01	7.92	7.94	7.86	7.80	7.72	7.74										
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT																								
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf																						
Množství odpadních vod	m3/den	8.35	8.27	8.21	8.13	8.15	8.07	8.01	7.92	7.94	7.86	7.80	7.72	7.74										
BSK5	kg/d	2.50	2.48	2.48	2.46	2.47	2.45	2.45	2.43	2.44	2.42	2.42	2.40	2.41										
NL	kg/d	2.29	2.27	2.27	2.25	2.26	2.25	2.24	2.22	2.24	2.22	2.21	2.20	2.21										
CHSK	kg/d	4.58	4.55	4.54	4.50	4.53	4.49	4.48	4.45	4.47	4.44	4.43	4.39	4.42										
PŘÍTOK NA ČOV																								
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0										
Typ ČOV		žádná																						
KONCENTRACE NA ODTOKU		stávající a navrhované řešení																						
	-	<table><tr><td>BSK5</td><td>NL</td><td>CHSK</td><td>N-celk</td><td>P-celk</td></tr><tr><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td></tr></table>													BSK5	NL	CHSK	N-celk	P-celk	0.00	0.00	0.00	0.00	0.00
BSK5	NL	CHSK	N-celk	P-celk																				
0.00	0.00	0.00	0.00	0.00																				
	mg/l																							
Množství vyčišt.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
ODSTRANĚNÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
ZBYTKOVÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
Způsob likv.kalu																								
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										

CZ042.3502.4212.0272.04 Starý Jiřikov

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	435.57	433.69	431.81	429.86	428.08	426.20	424.25	422.47	430.20	428.25	426.40	424.45	422.60
BSK5	kg/d	171.62	170.88	170.14	169.36	168.65	167.91	167.13	166.42	171.24	170.46	169.71	168.93	168.18
NL	kg/d	157.32	156.64	155.96	155.25	154.60	153.92	153.20	152.55	156.97	156.26	155.57	154.85	154.17
CHSK	kg/d	314.64	313.28	311.92	310.49	309.19	307.84	306.41	305.10	313.94	312.51	311.14	309.71	308.33
Počet EO	os.	2860	2848	2835	2822	2810	2798	2785	2773	2854	2841	2828	2815	2803
odp.vod likv.na ČOV	m3/den	366.32	364.74	363.16	361.51	359.93	358.35	356.55	354.97	421.80	419.85	417.90	415.95	414.00
odp.vod likv.v septicích	m3/den	69.25	68.95	68.65	68.35	68.15	67.85	67.70	67.50	8.40	8.40	8.50	8.50	8.60
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY 2018 Varnsdorf														
Množství odpadních vod	m3/den	11.72	11.64	11.56	11.56	11.48	11.40	11.40	11.32	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	2.90	2.88	2.86	2.86	2.84	2.82	2.82	2.80	0.00	0.00	0.00	0.00	0.00
NL	kg/d	2.66	2.64	2.62	2.62	2.60	2.59	2.59	2.57	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	5.32	5.28	5.24	5.24	5.21	5.17	5.17	5.13	0.00	0.00	0.00	0.00	0.00
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	354.60	353.10	351.60	349.95	348.45	346.95	345.15	343.65	421.80	419.85	417.90	415.95	414.00
BSK5	kg/d	141.84	141.24	140.64	139.98	139.38	138.78	138.06	137.46	168.72	167.94	167.16	166.38	165.60
NL	kg/d	130.02	129.47	128.92	128.32	127.77	127.22	126.56	126.01	154.66	153.95	153.23	152.52	151.80
CHSK	kg/d	260.04	258.94	257.84	256.63	255.53	254.43	253.11	252.01	309.32	307.89	306.46	305.03	303.60
Počet EO	os.	2364	2354	2344	2333	2323	2313	2301	2291	2812	2799	2786	2773	2760
Typ ČOV		Akt. č. denitrif.+nitrif.												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5 NL CHSK N-celk P-celk												
	mg/l	8.00 17.50 77.50 0.00 6.69												
Množství vyčištěn.odp.vod	m3/den	423.85	422.05	420.25	418.30	416.60	414.80	412.85	411.15	430.20	428.25	426.40	424.45	422.60
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	152.03	151.39	150.74	150.03	149.39	148.74	148.01	147.37	166.19	165.42	164.67	163.90	163.15
NL	kg/d	138.07	137.48	136.89	136.25	135.67	135.08	134.42	133.85	148.33	147.65	146.98	146.30	145.63
CHSK	kg/d	254.14	253.05	251.97	250.79	249.72	248.64	247.41	246.34	277.89	276.61	275.35	274.07	272.81
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	16.69	16.61	16.54	16.47	16.42	16.35	16.30	16.25	5.05	5.04	5.04	5.03	5.03
NL	kg/d	16.59	16.52	16.45	16.38	16.32	16.25	16.20	16.14	8.64	8.61	8.59	8.55	8.54
CHSK	kg/d	55.18	54.95	54.71	54.46	54.26	54.03	53.83	53.63	36.05	35.90	35.79	35.64	35.53
Produkce kalu	m3/r	10.53	10.48	10.44	10.39	10.34	10.30	10.25	10.20	12.39	12.34	12.28	12.22	12.17
Způsob likv.kalu		odvoz na jinou ČOV												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0273.01 Krásná Lípa

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	443.84	443.01	442.11	441.21	440.52	439.62	438.72	437.88	437.13	449.08	448.18	447.28	446.53
BSK5	kg/d	174.85	174.53	174.17	173.81	173.55	173.19	172.83	172.51	172.21	178.40	178.04	177.68	177.38
NL	kg/d	160.28	159.99	159.66	159.33	159.09	158.76	158.43	158.13	157.86	163.53	163.20	162.87	162.59
CHSK	kg/d	320.56	319.97	319.31	318.65	318.18	317.52	316.86	316.27	315.72	327.06	326.40	325.74	325.19
Počet EO	os.	2914	2908	2902	2896	2892	2886	2880	2875	2870	2973	2967	2961	2956
odp.vod likv.na ČOV	m3/den	443.84	443.01	442.11	441.21	440.52	439.62	438.72	437.88	437.13	449.08	448.18	447.28	446.53
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT 2018 Dlouhý Důl, 2030 Hely, 2030 Kamenná Horka, 2018 Krásný Buk, 2030 Kyjov														
Množství odpadních vod	m3/den	13.09	12.93	12.93	12.93	12.93	12.85	12.85	12.85	12.85	16.62	16.62	16.62	21.42
BSK5	kg/d	4.16	4.12	4.12	4.12	4.12	4.10	4.10	4.10	4.10	6.36	6.36	6.36	7.56
NL	kg/d	1.54	1.49	1.49	1.49	1.49	1.49	1.49	1.49	1.49	0.44	0.44	0.44	1.49
CHSK	kg/d	3.08	2.97	2.97	2.97	2.97	2.97	2.97	2.97	2.97	0.88	0.88	0.88	2.97
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY 2018 Varnsdorf														
Množství odpadních vod	m3/den	14.19	14.11	14.11	14.11	14.02	14.02	14.02	13.93	13.93	0.18	0.18	0.18	0.18
BSK5	kg/d	3.82	3.80	3.80	3.80	3.78	3.78	3.78	3.76	3.76	0.14	0.14	0.14	0.14
NL	kg/d	3.50	3.48	3.48	3.48	3.47	3.47	3.47	3.45	3.45	0.12	0.12	0.12	0.12
CHSK	kg/d	7.00	6.97	6.97	6.97	6.93	6.93	6.93	6.89	6.89	0.25	0.25	0.25	0.25
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	442.74	441.83	440.93	440.03	439.43	438.45	437.55	436.80	436.05	465.52	464.62	463.72	467.77
BSK5	kg/d	175.19	174.85	174.49	174.13	173.89	173.51	173.15	172.85	172.55	184.62	184.26	183.90	184.80
NL	kg/d	158.29	157.96	157.63	157.30	157.08	156.75	156.42	156.15	155.87	163.85	163.52	163.19	163.96
CHSK	kg/d	316.58	315.92	315.26	314.60	314.16	313.50	312.84	312.29	311.74	327.69	327.03	326.37	327.91
Počet EO	os.	2919	2914	2908	2902	2898	2891	2885	2880	2875	3077	3071	3065	3080
Typ ČOV		Akt. č. denitrif.+nitrif.												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5 NL CHSK N-celk P-celk												
	mg/l	15.00 20.00 80.00 20.00 7.00												
Množství vyčištěn.odp.vod	m3/den	442.74	441.83	440.93	440.03	439.43	438.45	437.55	436.80	436.05	465.52	464.62	463.72	467.77
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	168.55	168.22	167.88	167.53	167.30	166.93	166.59	166.30	166.01	177.64	177.29	176.94	177.78
NL	kg/d	149.44	149.12	148.81	148.50	148.29	147.98	147.67	147.41	147.15	154.53	154.22	153.91	154.60
CHSK	kg/d	281.16	280.57	279.99	279.40	279.01	278.42	277.84	277.35	276.86	290.45	289.86	289.27	290.49
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	6.64	6.63	6.61	6.60	6.59	6.58	6.56	6.55	6.54	6.98	6.97	6.96	7.02
NL	kg/d	8.85	8.84	8.82	8.80	8.79	8.77	8.75	8.74	8.72	9.31	9.29	9.27	9.36
CHSK	kg/d	35.42	35.35	35.27	35.20	35.15	35.08	35.00	34.94	34.88	37.24	37.17	37.10	37.42
Produkce kalu	m3/r	12.84	12.82	12.80	12.77	12.75	12.72	12.69	12.67	12.65	13.54	13.51	13.49	13.55
Způsob likv.kalu		neurčeno												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0273.02 Dlouhý Důl

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	2.00	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92
BSK5	kg/d	0.50	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
NL	kg/d	0.46	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44
CHSK	kg/d	0.92	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88
Počet EO	os.	8	8	8	8	8	8	8	8	8	8	8	8	8
odp.vod likv.na ČOV	m3/den	2.00	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY 2018 Krásná Lípa														
Množství odpadních vod	m3/den	2.00	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92	1.92
BSK5	kg/d	0.50	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
NL	kg/d	0.46	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44
CHSK	kg/d	0.92	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5 NL CHSK N-celk P-celk												
	mg/l	0.00 0.00 0.00 0.00 0.00												
Množství vyčištěn.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0273.03 Hely

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
BSK5	kg/d	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06
NL	kg/d	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06
CHSK	kg/d	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11
Počet EO	os.	1	1	1	1	1	1	1	1	1	1	1	1	1
odp.vod likv.na ČOV	m3/den	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf, 2030 Krásná Lípa												
Množství odpadních vod	m3/den	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
BSK5	kg/d	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06
NL	kg/d	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06
CHSK	kg/d	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5					NL	CHSK	N-celk	P-celk				
	mg/l	0.00					0.00	0.00	0.00	0.00				
Množství vyčišť.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0273.04 Kamenná Horka

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	2.64	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56
BSK5	kg/d	0.66	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64
NL	kg/d	0.61	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59
CHSK	kg/d	1.21	1.17	1.17	1.17	1.17	1.17	1.17	1.17	1.17	1.17	1.17	1.17	1.17
Počet EO	os.	11	10	10	10	10	10	10	10	10	10	10	10	10
odp.vod likv.na ČOV	m3/den	2.64	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf, 2030 Krásná Lípa												
Množství odpadních vod	m3/den	2.64	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56	2.56
BSK5	kg/d	0.66	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64
NL	kg/d	0.61	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59
CHSK	kg/d	1.21	1.17	1.17	1.17	1.17	1.17	1.17	1.17	1.17	1.17	1.17	1.17	1.17
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5					NL	CHSK	N-celk	P-celk				
	mg/l	0.00					0.00	0.00	0.00	0.00				
Množství vyčišť.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0273.05 Krásný Buk

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	11.09	11.01	11.01	11.01	11.01	10.93	10.93	10.93	10.93	14.70	14.70	14.70	14.70
BSK5	kg/d	3.66	3.64	3.64	3.64	3.64	3.62	3.62	3.62	3.62	5.88	5.88	5.88	5.88
NL	kg/d	3.36	3.34	3.34	3.34	3.34	3.32	3.32	3.32	3.32	5.39	5.39	5.39	5.39
CHSK	kg/d	6.71	6.67	6.67	6.67	6.67	6.64	6.64	6.64	6.64	10.78	10.78	10.78	10.78
Počet EO	os.	61	60	60	60	60	60	60	60	60	98	98	98	98
odp.vod likv.na ČOV	m3/den	11.09	11.01	11.01	11.01	11.01	10.93	10.93	10.93	10.93	14.70	14.70	14.70	14.70
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY 2018 Krásná Lípa, 2018 Krásná Lípa														
Množství odpadních vod	m3/den	11.09	11.01	11.01	11.01	11.01	10.93	10.93	10.93	10.93	14.70	14.70	14.70	14.70
BSK5	kg/d	3.66	3.64	3.64	3.64	3.64	3.62	3.62	3.62	3.62	5.88	5.88	5.88	5.88
NL	kg/d	3.36	3.34	3.34	3.34	3.34	3.32	3.32	3.32	3.32	5.39	5.39	5.39	5.39
CHSK	kg/d	6.71	6.67	6.67	6.67	6.67	6.64	6.64	6.64	6.64	10.78	10.78	10.78	10.78
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5 NL CHSK N-celk P-celk												
	mg/l	0.00 0.00 0.00 0.00 0.00												
Množství vyčišt.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0273.06 Kyjov

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030										
CELKOVÁ PRODUKCE																								
odpadních vod	m3/den	2.08	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00										
BSK5	kg/d	0.52	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
NL	kg/d	0.48	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46										
CHSK	kg/d	0.95	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92										
Počet EO	os.	8	8	8	8	8	8	8	8	8	8	8	8	8										
odp.vod likv.na ČOV	m3/den	2.08	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00										
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT																								
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf, 2030 Krásná Lípa																						
Množství odpadních vod	m3/den	2.08	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00										
BSK5	kg/d	0.52	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
NL	kg/d	0.48	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46	0.46										
CHSK	kg/d	0.95	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92										
PŘÍTOK NA ČOV																								
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0										
Typ ČOV		žádná																						
KONCENTRACE NA ODTOKU		stávající a navrhované řešení																						
	-	<table><tr><td>BSK5</td><td>NL</td><td>CHSK</td><td>N-celk</td><td>P-celk</td></tr><tr><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td></tr></table>													BSK5	NL	CHSK	N-celk	P-celk	0.00	0.00	0.00	0.00	0.00
BSK5	NL	CHSK	N-celk	P-celk																				
0.00	0.00	0.00	0.00	0.00																				
	mg/l																							
Množství vyčišt.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
ODSTRANĚNÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
ZBYTKOVÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
Způsob likv.kalu																								
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										

CZ042.3502.4212.0273.07 Sněžná

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	2.16	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08
BSK5	kg/d	0.54	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52
NL	kg/d	0.50	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
CHSK	kg/d	0.99	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Počet EO	os.	9	8	8	8	8	8	8	8	8	8	8	8	8
odp.vod likv.na ČOV	m3/den	2.16	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY 2018 Varnsdorf														
Množství odpadních vod	m3/den	2.16	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08
BSK5	kg/d	0.54	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52	0.52
NL	kg/d	0.50	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
CHSK	kg/d	0.99	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5 NL CHSK N-celk P-celk												
	mg/l	0.00 0.00 0.00 0.00 0.00												
Množství vyčištěn.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0273.08 Vlčí Hora

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	11.81	11.73	11.73	11.73	11.73	11.65	11.65	11.65	11.65	11.50	11.50	11.50	11.57
BSK5	kg/d	4.06	4.04	4.04	4.04	4.04	4.02	4.02	4.02	4.02	3.96	3.96	3.96	4.00
NL	kg/d	3.72	3.70	3.70	3.70	3.70	3.69	3.69	3.69	3.69	3.63	3.63	3.63	3.67
CHSK	kg/d	7.44	7.41	7.41	7.41	7.41	7.37	7.37	7.37	7.37	7.26	7.26	7.26	7.33
Počet EO	os.	67	67	67	67	67	67	67	67	67	66	66	66	66
odp.vod likv.na ČOV	m3/den	4.31	4.23	4.23	4.23	4.23	4.15	4.15	4.15	4.15	4.15	4.15	4.15	4.07
odp.vod likv.v septicích	m3/den	7.50	7.50	7.50	7.50	7.50	7.50	7.50	7.50	7.50	7.35	7.35	7.35	7.50
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf												
Množství odpadních vod	m3/den	4.31	4.23	4.23	4.23	4.23	4.15	4.15	4.15	4.15	4.15	4.15	4.15	4.07
BSK5	kg/d	1.06	1.04	1.04	1.04	1.04	1.02	1.02	1.02	1.02	1.02	1.02	1.02	1.00
NL	kg/d	0.97	0.95	0.95	0.95	0.95	0.94	0.94	0.94	0.94	0.94	0.94	0.94	0.92
CHSK	kg/d	1.94	1.91	1.91	1.91	1.91	1.87	1.87	1.87	1.87	1.87	1.87	1.87	1.83
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5					NL	CHSK	N-celk	P-celk				
	mg/l	0.00					0.00	0.00	0.00	0.00				
Množství vyčišt.odp.vod	m3/den	7.50	7.50	7.50	7.50	7.50	7.50	7.50	7.50	7.50	7.35	7.35	7.35	7.50
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.47	1.47	1.47	1.50
NL	kg/d	1.63	1.63	1.63	1.63	1.63	1.63	1.63	1.63	1.63	1.59	1.59	1.59	1.63
CHSK	kg/d	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.45	2.45	2.45	2.50
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.47	1.47	1.47	1.50
NL	kg/d	1.13	1.13	1.13	1.13	1.13	1.13	1.13	1.13	1.13	1.10	1.10	1.10	1.13
CHSK	kg/d	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	2.94	2.94	2.94	3.00
Produkce kalu	m3/r	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0273.09 Zahrady

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	5.11	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.03
BSK5	kg/d	1.68	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66	1.66
NL	kg/d	1.54	1.52	1.52	1.52	1.52	1.52	1.52	1.52	1.52	1.52	1.52	1.52	1.52
CHSK	kg/d	3.08	3.04	3.04	3.04	3.04	3.04	3.04	3.04	3.04	3.04	3.04	3.04	3.04
Počet EO	os.	28	27	27	27	27	27	27	27	27	27	27	27	27
odp.vod likv.na ČOV	m3/den	2.41	2.33	2.33	2.33	2.33	2.33	2.33	2.33	2.33	2.33	2.33	2.33	2.33
odp.vod likv.v septicích	m3/den	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf												
Množství odpadních vod	m3/den	2.41	2.33	2.33	2.33	2.33	2.33	2.33	2.33	2.33	2.33	2.33	2.33	2.33
BSK5	kg/d	0.60	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58
NL	kg/d	0.55	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53	0.53
CHSK	kg/d	1.10	1.06	1.06	1.06	1.06	1.06	1.06	1.06	1.06	1.06	1.06	1.06	1.06
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5					NL	CHSK	N-celk	P-celk				
	mg/l	0.00					0.00	0.00	0.00	0.00				
Množství vyčišt.odp.vod	m3/den	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.70
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54
NL	kg/d	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.59
CHSK	kg/d	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54
NL	kg/d	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41
CHSK	kg/d	1.08	1.08	1.08	1.08	1.08	1.08	1.08	1.08	1.08	1.08	1.08	1.08	1.08
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0274.01 Lipová

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	82.71	82.18	81.79	81.34	80.96	80.58	80.13	79.59	79.21	78.76	78.38	77.93	77.54
BSK5	kg/d	31.46	31.26	31.12	30.94	30.80	30.66	30.48	30.28	30.14	29.96	29.82	29.64	29.50
NL	kg/d	28.84	28.66	28.53	28.36	28.23	28.11	27.94	27.76	27.63	27.46	27.34	27.17	27.04
CHSK	kg/d	57.68	57.31	57.05	56.72	56.47	56.21	55.88	55.51	55.26	54.93	54.67	54.34	54.08
Počet EO	os.	524	521	518	515	513	511	508	504	502	499	497	494	491
odp.vod likv.na ČOV	m3/den	82.71	82.18	81.79	81.34	80.96	80.58	80.13	79.59	79.21	78.76	78.38	77.93	77.54
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Velký Šenov, 2018 Velký Šenov												
Množství odpadních vod	m3/den	69.21	68.83	68.59	68.14	67.76	67.53	67.08	66.69	66.31	66.01	65.63	65.33	64.79
BSK5	kg/d	26.06	25.92	25.84	25.66	25.52	25.44	25.26	25.12	24.98	24.86	24.72	24.60	24.40
NL	kg/d	23.89	23.76	23.69	23.52	23.39	23.32	23.16	23.03	22.90	22.79	22.66	22.55	22.37
CHSK	kg/d	47.78	47.52	47.37	47.04	46.79	46.64	46.31	46.05	45.80	45.58	45.32	45.10	44.73
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		Domovní mikročist.,biof.												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	30.0030.00110.0030.006.00												
Množství vyčišt.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu		neurčeno												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0275.01 Lobendava

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	32.57	32.40	32.25	32.02	31.93	31.70	31.62	31.38	31.30	31.07	30.92	30.75	30.60
BSK5	kg/d	10.68	10.64	10.58	10.50	10.48	10.40	10.38	10.30	10.28	10.20	10.14	10.10	10.04
NL	kg/d	9.79	9.75	9.70	9.63	9.61	9.53	9.52	9.44	9.42	9.35	9.30	9.26	9.20
CHSK	kg/d	19.58	19.51	19.40	19.25	19.21	19.07	19.03	18.88	18.85	18.70	18.59	18.52	18.41
Počet EO	os.	178	177	176	175	174	173	173	171	171	170	169	168	167
odp.vod likv.na ČOV	m3/den	14.72	14.55	14.55	14.47	14.38	14.30	14.22	14.13	14.05	13.97	13.97	13.80	13.80
odp.vod likv.v septicích	m3/den	17.85	17.85	17.70	17.55	17.55	17.40	17.40	17.25	17.25	17.10	16.95	16.95	16.80
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Velký Šenov												
Množství odpadních vod	m3/den	14.72	14.55	14.55	14.47	14.38	14.30	14.22	14.13	14.05	13.97	13.97	13.80	13.80
BSK5	kg/d	3.54	3.50	3.50	3.48	3.46	3.44	3.42	3.40	3.38	3.36	3.36	3.32	3.32
NL	kg/d	3.25	3.21	3.21	3.19	3.17	3.15	3.14	3.12	3.10	3.08	3.08	3.04	3.04
CHSK	kg/d	6.49	6.42	6.42	6.38	6.34	6.31	6.27	6.23	6.20	6.16	6.16	6.09	6.09
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišť.odp.vod	m3/den	17.85	17.85	17.70	17.55	17.55	17.40	17.40	17.25	17.25	17.10	16.95	16.95	16.80
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	3.57	3.57	3.54	3.51	3.51	3.48	3.48	3.45	3.45	3.42	3.39	3.39	3.36
NL	kg/d	3.87	3.87	3.84	3.80	3.80	3.77	3.77	3.74	3.74	3.71	3.67	3.67	3.64
CHSK	kg/d	5.95	5.95	5.90	5.85	5.85	5.80	5.80	5.75	5.75	5.70	5.65	5.65	5.60
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	3.57	3.57	3.54	3.51	3.51	3.48	3.48	3.45	3.45	3.42	3.39	3.39	3.36
NL	kg/d	2.68	2.68	2.66	2.63	2.63	2.61	2.61	2.59	2.59	2.57	2.54	2.54	2.52
CHSK	kg/d	7.14	7.14	7.08	7.02	7.02	6.96	6.96	6.90	6.90	6.84	6.78	6.78	6.72
Produkce kalu	m3/r	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0275.02 Severní

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	4.15	4.07	4.07	4.07	4.07	3.99	3.99	3.99	3.99	3.91	3.91	3.91	3.91
BSK5	kg/d	1.24	1.22	1.22	1.22	1.22	1.20	1.20	1.20	1.20	1.18	1.18	1.18	1.18
NL	kg/d	1.14	1.12	1.12	1.12	1.12	1.10	1.10	1.10	1.10	1.08	1.08	1.08	1.08
CHSK	kg/d	2.27	2.24	2.24	2.24	2.24	2.20	2.20	2.20	2.20	2.16	2.16	2.16	2.16
Počet EO	os.	20	20	20	20	20	20	20	20	20	19	19	19	19
odp.vod likv.na ČOV	m3/den	2.80	2.72	2.72	2.72	2.72	2.64	2.64	2.64	2.64	2.56	2.56	2.56	2.56
odp.vod likv.v septicích	m3/den	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Velký Šenov												
Množství odpadních vod	m3/den	2.80	2.72	2.72	2.72	2.72	2.64	2.64	2.64	2.64	2.56	2.56	2.56	2.56
BSK5	kg/d	0.70	0.68	0.68	0.68	0.68	0.66	0.66	0.66	0.66	0.64	0.64	0.64	0.64
NL	kg/d	0.64	0.62	0.62	0.62	0.62	0.61	0.61	0.61	0.61	0.59	0.59	0.59	0.59
CHSK	kg/d	1.28	1.25	1.25	1.25	1.25	1.21	1.21	1.21	1.21	1.17	1.17	1.17	1.17
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5					NL	CHSK	N-celk	P-celk				
	mg/l	0.00					0.00	0.00	0.00	0.00				
Množství vyčišť.odp.vod	m3/den	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
NL	kg/d	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29
CHSK	kg/d	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.45	0.45
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
NL	kg/d	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
CHSK	kg/d	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0276.01 Mikulášovice

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	258.30	256.99	255.62	254.25	252.87	251.50	250.19	248.90	247.59	246.22	244.85	243.47	279.96
BSK5	kg/d	93.48	93.02	92.52	92.02	91.52	91.02	90.56	90.08	89.62	89.12	88.62	88.12	109.56
NL	kg/d	85.69	85.27	84.81	84.35	83.89	83.44	83.01	82.57	82.15	81.69	81.24	80.78	100.43
CHSK	kg/d	171.38	170.54	169.62	168.70	167.79	166.87	166.03	165.15	164.30	163.39	162.47	161.55	200.86
Počet EO	os.	1558	1550	1542	1533	1525	1517	1509	1501	1493	1485	1477	1468	1826
odp.vod likv.na ČOV	m3/den	258.30	256.99	255.62	254.25	252.87	251.50	250.19	248.90	247.59	246.22	244.85	243.47	279.96
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY 2018 Velký Šenov														
Množství odpadních vod	m3/den	64.20	63.79	63.47	63.15	62.82	62.50	62.09	61.85	61.44	61.12	60.80	60.47	15.81
BSK5	kg/d	15.84	15.74	15.66	15.58	15.50	15.42	15.32	15.26	15.16	15.08	15.00	14.92	3.90
NL	kg/d	14.52	14.43	14.36	14.28	14.21	14.14	14.04	13.99	13.90	13.82	13.75	13.68	3.58
CHSK	kg/d	29.04	28.86	28.71	28.56	28.42	28.27	28.09	27.98	27.79	27.65	27.50	27.35	7.15
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	194.10	193.20	192.15	191.10	190.05	189.00	188.10	187.05	186.15	185.10	184.05	183.00	264.15
BSK5	kg/d	77.64	77.28	76.86	76.44	76.02	75.60	75.24	74.82	74.46	74.04	73.62	73.20	105.66
NL	kg/d	71.17	70.84	70.46	70.07	69.69	69.30	68.97	68.59	68.26	67.87	67.49	67.10	96.86
CHSK	kg/d	142.34	141.68	140.91	140.14	139.37	138.60	137.94	137.17	136.51	135.74	134.97	134.20	193.71
Počet EO	os.	1294	1288	1281	1274	1267	1260	1254	1247	1241	1234	1227	1220	1761
Typ ČOV		Akt. č. denitrif.+nitrif.												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5 NL CHSK N-celk P-celk												
	mg/l	15.00 20.00 80.00 20.00 7.00												
Množství vyčištěn. odp.vod	m3/den	194.10	193.20	192.15	191.10	190.05	189.00	188.10	187.05	186.15	185.10	184.05	183.00	264.15
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	74.73	74.38	73.98	73.57	73.17	72.77	72.42	72.01	71.67	71.26	70.86	70.46	101.70
NL	kg/d	67.29	66.98	66.61	66.25	65.88	65.52	65.21	64.84	64.53	64.17	63.80	63.44	91.57
CHSK	kg/d	126.81	126.22	125.54	124.85	124.17	123.48	122.89	122.21	121.62	120.93	120.25	119.56	172.58
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	2.91	2.90	2.88	2.87	2.85	2.84	2.82	2.81	2.79	2.78	2.76	2.75	3.96
NL	kg/d	3.88	3.86	3.84	3.82	3.80	3.78	3.76	3.74	3.72	3.70	3.68	3.66	5.28
CHSK	kg/d	15.53	15.46	15.37	15.29	15.20	15.12	15.05	14.96	14.89	14.81	14.72	14.64	21.13
Produkce kalu	m3/r	5.69	5.67	5.64	5.61	5.57	5.54	5.52	5.49	5.46	5.43	5.40	5.37	7.75
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0276.02 Mikulášovičky

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	6.55	6.46	6.46	6.37	6.37	6.37	6.22	6.22	6.22	6.12	6.12	6.12	6.01
BSK5	kg/d	2.00	1.98	1.98	1.96	1.96	1.96	1.90	1.90	1.90	1.88	1.88	1.88	1.80
NL	kg/d	1.83	1.82	1.82	1.80	1.80	1.80	1.74	1.74	1.74	1.72	1.72	1.72	1.65
CHSK	kg/d	3.67	3.63	3.63	3.59	3.59	3.59	3.48	3.48	3.48	3.45	3.45	3.45	3.30
Počet EO	os.	33	33	33	32	32	32	31	31	31	31	31	31	30
odp.vod likv.na ČOV	m3/den	3.40	3.31	3.31	3.22	3.22	3.22	3.22	3.22	3.22	3.12	3.12	3.12	3.3
odp.vod likv.v septicích	m3/den	3.15	3.15	3.15	3.15	3.15	3.15	3.00	3.00	3.00	3.00	3.00	3.00	2.70
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf												
Množství odpadních vod	m3/den	3.40	3.31	3.31	3.22	3.22	3.22	3.22	3.22	3.22	3.12	3.12	3.12	3.31
BSK5	kg/d	0.74	0.72	0.72	0.70	0.70	0.70	0.70	0.70	0.70	0.68	0.68	0.68	0.72
NL	kg/d	0.68	0.66	0.66	0.64	0.64	0.64	0.64	0.64	0.64	0.62	0.62	0.62	0.66
CHSK	kg/d	1.36	1.32	1.32	1.28	1.28	1.28	1.28	1.28	1.28	1.25	1.25	1.25	1.32
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišť.odp.vod	m3/den	3.15	3.15	3.15	3.15	3.15	3.15	3.00	3.00	3.00	3.00	3.00	3.00	2.70
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.63	0.63	0.63	0.63	0.63	0.63	0.60	0.60	0.60	0.60	0.60	0.60	0.54
NL	kg/d	0.68	0.68	0.68	0.68	0.68	0.68	0.65	0.65	0.65	0.65	0.65	0.65	0.59
CHSK	kg/d	1.05	1.05	1.05	1.05	1.05	1.05	1.00	1.00	1.00	1.00	1.00	1.00	0.90
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.63	0.63	0.63	0.63	0.63	0.63	0.60	0.60	0.60	0.60	0.60	0.60	0.54
NL	kg/d	0.47	0.47	0.47	0.47	0.47	0.47	0.45	0.45	0.45	0.45	0.45	0.45	0.41
CHSK	kg/d	1.26	1.26	1.26	1.26	1.26	1.26	1.20	1.20	1.20	1.20	1.20	1.20	1.08
Produkce kalu	m3/r	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0276.03 Salmov

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030										
CELKOVÁ PRODUKCE																								
odpadních vod	m3/den	1.80	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65										
BSK5	kg/d	0.72	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66										
NL	kg/d	0.66	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61	0.61										
CHSK	kg/d	1.32	1.21	1.21	1.21	1.21	1.21	1.21	1.21	1.21	1.21	1.21	1.21	1.21										
Počet EO	os.	12	11	11	11	11	11	11	11	11	11	11	11	11										
odp.vod likv.na ČOV	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
odp.vod likv.v septicích	m3/den	1.80	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65										
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT																								
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Velký Šenov																						
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
PŘÍTOK NA ČOV																								
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0										
Typ ČOV		žádná																						
KONCENTRACE NA ODTOKU		stávající a navrhované řešení																						
	-	<table><tr><td>BSK5</td><td>NL</td><td>CHSK</td><td>N-celk</td><td>P-celk</td></tr><tr><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td></tr></table>													BSK5	NL	CHSK	N-celk	P-celk	0.00	0.00	0.00	0.00	0.00
BSK5	NL	CHSK	N-celk	P-celk																				
0.00	0.00	0.00	0.00	0.00																				
	mg/l																							
Množství vyčišť.odp.vod	m3/den	1.80	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65	1.65										
ODSTRANĚNÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	0.36	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33										
NL	kg/d	0.39	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36										
CHSK	kg/d	0.60	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55										
ZBYTKOVÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	0.36	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33	0.33										
NL	kg/d	0.27	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25										
CHSK	kg/d	0.72	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.66										
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
Způsob likv.kalu																								
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20
BSK5	kg/d	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
NL	kg/d	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44
CHSK	kg/d	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88
Počet EO	os.	8	8	8	8	8	8	8	8	8	8	8	8	8
odp.vod likv.na ČOV	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.v septicích	m3/den	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Velký Šenov												
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5					NL	CHSK	N-celk	P-celk				
	mg/l	0.00					0.00	0.00	0.00	0.00				
Množství vyčišt.odp.vod	m3/den	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.20
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
NL	kg/d	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26
CHSK	kg/d	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
NL	kg/d	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18
CHSK	kg/d	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48	0.48
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0277.01 Rumburk 1

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	1248.35	1241.87	1235.46	1228.99	1222.58	1216.18	1209.78	1203.22	1260.25	1253.50	1246.75	1240.00	1233.25
BSK5	kg/d	486.57	484.05	481.55	479.01	476.51	474.01	471.51	468.95	503.13	500.43	497.73	495.03	492.33
NL	kg/d	446.02	443.71	441.42	439.09	436.80	434.51	432.22	429.87	461.20	458.73	456.25	453.78	451.30
CHSK	kg/d	892.05	887.43	882.84	878.19	873.60	869.02	864.44	859.74	922.41	917.46	912.51	907.56	902.61
Počet EO	os.	8109	8067	8025	7983	7941	7900	7858	7815	8385	8340	8295	8250	8205
odp.vod likv.na ČOV	m3/den	1005.80	1000.67	995.46	990.34	985.13	980.08	974.88	969.52	1260.25	1253.50	1246.75	1240.00	1233.25
odp.vod likv.v septicích	m3/den	242.55	241.20	240.00	238.65	237.45	236.10	234.90	233.70	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY 2018 Varnsdorf, 2018 Varnsdorf														
Množství odpadních vod	m3/den	1005.80	1000.67	995.46	990.34	985.13	980.08	974.88	969.52	1260.25	1253.50	1246.75	1240.00	1233.25
BSK5	kg/d	389.55	387.57	385.55	383.55	381.53	379.57	377.55	375.47	503.13	500.43	497.73	495.03	492.33
NL	kg/d	357.09	355.27	353.42	351.59	349.74	347.94	346.09	344.18	461.20	458.73	456.25	453.78	451.30
CHSK	kg/d	714.18	710.55	706.84	703.18	699.47	695.88	692.18	688.36	922.41	917.46	912.51	907.56	902.61
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5 NL CHSK N-celk P-celk												
	mg/l	0.00 0.00 0.00 0.00 0.00												
Množství vyčišt.odp.vod	m3/den	242.55	241.20	240.00	238.65	237.45	236.10	234.90	233.70	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	48.51	48.24	48.00	47.73	47.49	47.22	46.98	46.74	0.00	0.00	0.00	0.00	0.00
NL	kg/d	52.55	52.26	52.00	51.71	51.45	51.16	50.90	50.64	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	80.85	80.40	80.00	79.55	79.15	78.70	78.30	77.90	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	48.51	48.24	48.00	47.73	47.49	47.22	46.98	46.74	0.00	0.00	0.00	0.00	0.00
NL	kg/d	36.38	36.18	36.00	35.80	35.62	35.42	35.24	35.06	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	97.02	96.48	96.00	95.46	94.98	94.44	93.96	93.48	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.41	0.41	0.41	0.41	0.40	0.40	0.40	0.40	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0277.02 Rumburk 2-Horní Jindřichov

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030										
CELKOVÁ PRODUKCE																								
odpadních vod	m3/den	177.10	176.34	175.51	174.68	173.85	173.02	172.26	171.43	170.60	169.77	168.94	168.18	182.40										
BSK5	kg/d	66.04	65.76	65.44	65.12	64.80	64.48	64.20	63.88	63.56	63.24	62.92	62.64	70.92										
NL	kg/d	60.54	60.28	59.99	59.69	59.40	59.11	58.85	58.56	58.26	57.97	57.68	57.42	65.01										
CHSK	kg/d	121.07	120.56	119.97	119.39	118.80	118.21	117.70	117.11	116.53	115.94	115.35	114.84	130.02										
Počet EO	os.	1100	1096	1090	1085	1080	1074	1070	1064	1059	1054	1048	1044	1182										
odp.vod likv.na ČOV	m3/den	123.25	122.79	122.26	121.73	121.20	120.67	120.21	119.68	119.00	118.47	117.94	117.48	150.00										
odp.vod likv.v septicích	m3/den	53.85	53.55	53.25	52.95	52.65	52.35	52.05	51.75	51.60	51.30	51.00	50.70	32.40										
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT																								
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf, 2018 Varnsdorf																						
Množství odpadních vod	m3/den	121.60	121.29	120.76	120.23	119.70	119.17	118.71	118.18	117.50	116.97	116.44	115.98	150.00										
BSK5	kg/d	43.84	43.74	43.54	43.34	43.14	42.94	42.78	42.58	42.32	42.12	41.92	41.76	57.96										
NL	kg/d	40.19	40.10	39.91	39.73	39.55	39.36	39.22	39.03	38.79	38.61	38.43	38.28	53.13										
CHSK	kg/d	80.37	80.19	79.82	79.46	79.09	78.72	78.43	78.06	77.59	77.22	76.85	76.56	106.26										
PŘÍTOK NA ČOV																								
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0										
Typ ČOV		Domovní mikročist., biof.																						
KONCENTRACE NA ODTOKU		stávající a navrhované řešení																						
	-	<table><tr><td>BSK5</td><td>NL</td><td>CHSK</td><td>N-celk</td><td>P-celk</td></tr><tr><td>30.00</td><td>30.00</td><td>110.00</td><td>30.00</td><td>6.00</td></tr></table>													BSK5	NL	CHSK	N-celk	P-celk	30.00	30.00	110.00	30.00	6.00
BSK5	NL	CHSK	N-celk	P-celk																				
30.00	30.00	110.00	30.00	6.00																				
	mg/l																							
Množství vyčišť.odp.vod	m3/den	53.85	53.55	53.25	52.95	52.65	52.35	52.05	51.75	51.60	51.30	51.00	50.70	32.40										
ODSTRANĚNÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	10.77	10.71	10.65	10.59	10.53	10.47	10.41	10.35	10.32	10.26	10.20	10.14	6.48										
NL	kg/d	11.67	11.60	11.54	11.47	11.41	11.34	11.28	11.21	11.18	11.12	11.05	10.99	7.02										
CHSK	kg/d	17.95	17.85	17.75	17.65	17.55	17.45	17.35	17.25	17.20	17.10	17.00	16.90	10.80										
ZBYTKOVÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	10.77	10.71	10.65	10.59	10.53	10.47	10.41	10.35	10.32	10.26	10.20	10.14	6.48										
NL	kg/d	8.08	8.03	7.99	7.94	7.90	7.85	7.81	7.76	7.74	7.70	7.65	7.61	4.86										
CHSK	kg/d	21.54	21.42	21.30	21.18	21.06	20.94	20.82	20.70	20.64	20.52	20.40	20.28	12.96										
Produkce kalu	m3/r	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.06										
Způsob likv.kalu		neurčeno																						
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	92.58	92.04	91.57	91.11	90.72	90.11	89.64	89.18	117.30	116.55	115.95	115.35	114.75
BSK5	kg/d	31.60	31.42	31.26	31.10	30.98	30.76	30.60	30.44	46.92	46.62	46.38	46.14	45.90
NL	kg/d	28.97	28.80	28.66	28.51	28.40	28.20	28.05	27.90	43.01	42.74	42.52	42.30	42.08
CHSK	kg/d	57.93	57.60	57.31	57.02	56.80	56.39	56.10	55.81	86.02	85.47	85.03	84.59	84.15
Počet EO	os.	526	523	521	518	516	512	510	507	782	777	773	769	765
odp.vod likv.na ČOV	m3/den	35.28	35.04	34.87	34.71	34.47	34.31	34.14	33.98	58.80	58.50	58.20	57.90	57.60
odp.vod likv.v septicích	m3/den	57.30	57.00	56.70	56.40	56.25	55.80	55.50	55.20	58.50	58.05	57.75	57.45	57.15
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf, 2026 Varnsdorf												
Množství odpadních vod	m3/den	35.28	35.04	34.87	34.71	34.47	34.31	34.14	33.98	58.80	58.50	58.20	57.90	57.60
BSK5	kg/d	8.68	8.62	8.58	8.54	8.48	8.44	8.40	8.36	23.52	23.40	23.28	23.16	23.04
NL	kg/d	7.96	7.90	7.87	7.83	7.77	7.74	7.70	7.66	21.56	21.45	21.34	21.23	21.12
CHSK	kg/d	15.91	15.80	15.73	15.66	15.55	15.47	15.40	15.33	43.12	42.90	42.68	42.46	42.24
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišt.odp.vod	m3/den	57.30	57.00	56.70	56.40	56.25	55.80	55.50	55.20	58.50	58.05	57.75	57.45	57.15
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	11.46	11.40	11.34	11.28	11.25	11.16	11.10	11.04	11.70	11.61	11.55	11.49	11.43
NL	kg/d	12.42	12.35	12.29	12.22	12.19	12.09	12.03	11.96	12.68	12.58	12.51	12.45	12.38
CHSK	kg/d	19.10	19.00	18.90	18.80	18.75	18.60	18.50	18.40	19.50	19.35	19.25	19.15	19.05
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	11.46	11.40	11.34	11.28	11.25	11.16	11.10	11.04	11.70	11.61	11.55	11.49	11.43
NL	kg/d	8.60	8.55	8.51	8.46	8.44	8.37	8.33	8.28	8.78	8.71	8.66	8.62	8.57
CHSK	kg/d	22.92	22.80	22.68	22.56	22.50	22.32	22.20	22.08	23.40	23.22	23.10	22.98	22.86
Produkce kalu	m3/r	0.10	0.10	0.10	0.10	0.10	0.09	0.09	0.09	0.10	0.10	0.10	0.10	0.10
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0278.01 Staré Křečany

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	115.25	114.84	114.37	113.90	113.43	112.96	112.49	112.11	116.34	115.87	115.40	114.87	114.48
BSK5	kg/d	50.72	50.60	50.44	50.28	50.12	49.96	49.80	49.66	52.38	52.22	52.06	51.86	51.72
NL	kg/d	46.49	46.38	46.24	46.09	45.94	45.80	45.65	45.52	48.02	47.87	47.72	47.54	47.41
CHSK	kg/d	92.99	92.77	92.47	92.18	91.89	91.59	91.30	91.04	96.03	95.74	95.44	95.08	94.82
Počet EO	os.	845	843	840	838	835	832	830	827	873	870	867	864	862
odp.vod likv.na ČOV	m3/den	59.60	59.34	59.17	59.00	58.83	58.66	58.49	58.41	116.34	115.87	115.40	114.87	114.48
odp.vod likv.v septicích	m3/den	22.20	22.35	22.20	22.05	21.90	21.75	21.75	21.60	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	33.45	33.15	33.00	32.85	32.70	32.55	32.25	32.10	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf, 2026 Varnsdorf												
Množství odpadních vod	m3/den	59.60	59.34	59.17	59.00	58.83	58.66	58.49	58.41	116.34	115.87	115.40	114.87	114.48
BSK5	kg/d	28.46	28.40	28.36	28.32	28.28	28.24	28.20	28.18	52.38	52.22	52.06	51.86	51.72
NL	kg/d	26.09	26.03	26.00	25.96	25.92	25.89	25.85	25.83	48.02	47.87	47.72	47.54	47.41
CHSK	kg/d	52.18	52.07	51.99	51.92	51.85	51.77	51.70	51.66	96.03	95.74	95.44	95.08	94.82
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		Domovní mikročist.						žádná						
KONCENTRACE NA ODTOKU		stávající					navrhované řešení							
	-	BSK5	NL	CHSK	N-celk	P-celk	BSK5	NL	CHSK	N-celk	P-celk			
	mg/l	25.00	25.00	90.00	25.00	5.00	0.00	0.00	0.00	0.00	0.00			
Množství vyčišt.odp.vod	m3/den	22.20	22.35	22.20	22.05	21.90	21.75	21.75	21.60	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	4.44	4.47	4.44	4.41	4.38	4.35	4.35	4.32	0.00	0.00	0.00	0.00	0.00
NL	kg/d	4.81	4.84	4.81	4.78	4.75	4.71	4.71	4.68	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	7.40	7.45	7.40	7.35	7.30	7.25	7.25	7.20	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	17.82	17.73	17.64	17.55	17.46	17.37	17.25	17.16	0.00	0.00	0.00	0.00	0.00
NL	kg/d	15.60	15.51	15.43	15.35	15.28	15.20	15.09	15.01	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	33.41	33.25	33.08	32.91	32.74	32.57	32.35	32.18	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu		neurčeno												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0278.02 Brtníky

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	22.74	22.58	22.43	22.35	22.27	22.12	22.04	21.96	21.81	21.73	21.65	21.50	21.42
BSK5	kg/d	7.44	7.40	7.34	7.32	7.30	7.24	7.22	7.20	7.14	7.12	7.10	7.04	7.02
NL	kg/d	6.82	6.78	6.73	6.71	6.69	6.64	6.62	6.60	6.55	6.53	6.51	6.45	6.44
CHSK	kg/d	13.64	13.57	13.46	13.42	13.38	13.27	13.24	13.20	13.09	13.05	13.02	12.91	12.87
Počet EO	os.	124	123	122	122	121	120	120	120	119	118	118	117	117
odp.vod likv.na ČOV	m3/den	20.79	20.78	20.63	20.55	20.47	20.32	20.24	20.16	20.01	19.93	19.85	19.70	19.62
odp.vod likv.v septicích	m3/den	1.95	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80	1.80
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf												
Množství odpadních vod	m3/den	11.04	10.88	10.88	10.80	10.72	10.72	10.64	10.56	10.56	10.48	10.40	10.40	10.32
BSK5	kg/d	2.76	2.72	2.72	2.70	2.68	2.68	2.66	2.64	2.64	2.62	2.60	2.60	2.58
NL	kg/d	2.53	2.49	2.49	2.48	2.46	2.46	2.44	2.42	2.42	2.40	2.38	2.38	2.37
CHSK	kg/d	5.06	4.99	4.99	4.95	4.91	4.91	4.88	4.84	4.84	4.80	4.77	4.77	4.73
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	9.75	9.90	9.75	9.75	9.75	9.60	9.60	9.60	9.45	9.45	9.45	9.30	9.30
BSK5	kg/d	3.90	3.96	3.90	3.90	3.90	3.84	3.84	3.84	3.78	3.78	3.78	3.72	3.72
NL	kg/d	3.58	3.63	3.58	3.58	3.58	3.52	3.52	3.52	3.47	3.47	3.47	3.41	3.41
CHSK	kg/d	7.15	7.26	7.15	7.15	7.15	7.04	7.04	7.04	6.93	6.93	6.93	6.82	6.82
Počet EO	os.	65	66	65	65	65	64	64	64	63	63	63	62	62
Typ ČOV		Čistírna s biokontaktory												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišt.odp.vod	m3/den	11.70	11.70	11.55	11.55	11.55	11.40	11.40	11.40	11.25	11.25	11.25	11.10	11.10
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	4.29	4.32	4.26	4.26	4.26	4.20	4.20	4.20	4.14	4.14	4.14	4.08	4.08
NL	kg/d	4.00	4.02	3.97	3.97	3.97	3.91	3.91	3.91	3.86	3.86	3.86	3.80	3.80
CHSK	kg/d	7.80	7.86	7.75	7.75	7.75	7.64	7.64	7.64	7.53	7.53	7.53	7.42	7.42
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.39	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36	0.36
NL	kg/d	0.29	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
CHSK	kg/d	0.78	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72
Produkce kalu	m3/r	0.29	0.29	0.29	0.29	0.29	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28
Způsob likv.kalu		odvoz na jinou ČOV												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0278.03 Kopec

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	2.44	2.36	2.38	2.38	2.40	2.40	2.42	2.42	2.44	2.44	2.46	2.46	2.48
BSK5	kg/d	1.43	1.41	1.43	1.43	1.44	1.44	1.46	1.46	1.47	1.47	1.49	1.49	1.50
NL	kg/d	1.31	1.29	1.31	1.31	1.32	1.32	1.33	1.33	1.35	1.35	1.36	1.36	1.38
CHSK	kg/d	2.62	2.59	2.61	2.61	2.64	2.64	2.67	2.67	2.70	2.70	2.72	2.72	2.75
Počet EO	os.	23	23	23	23	24	24	24	24	24	24	24	24	25
odp.vod likv.na ČOV	m3/den	2.44	2.36	2.38	2.38	2.40	2.40	2.42	2.42	2.44	2.44	2.46	2.46	2.48
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf												
Množství odpadních vod	m3/den	2.44	2.36	2.38	2.38	2.40	2.40	2.42	2.42	2.44	2.44	2.46	2.46	2.48
BSK5	kg/d	1.43	1.41	1.43	1.43	1.44	1.44	1.46	1.46	1.47	1.47	1.49	1.49	1.50
NL	kg/d	1.31	1.29	1.31	1.31	1.32	1.32	1.33	1.33	1.35	1.35	1.36	1.36	1.38
CHSK	kg/d	2.62	2.59	2.61	2.61	2.64	2.64	2.67	2.67	2.70	2.70	2.72	2.72	2.75
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišt.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0278.04 Nové Křečany

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030										
CELKOVÁ PRODUKCE																								
odpadních vod	m3/den	18.85	19.00	19.08	19.19	19.35	19.45	19.53	19.62	19.87	19.95	20.05	20.14	20.25										
BSK5	kg/d	7.17	7.23	7.25	7.28	7.32	7.36	7.38	7.40	7.49	7.51	7.55	7.57	7.58										
NL	kg/d	6.57	6.62	6.64	6.67	6.71	6.74	6.76	6.78	6.87	6.88	6.92	6.93	6.95										
CHSK	kg/d	13.14	13.25	13.28	13.35	13.42	13.48	13.52	13.56	13.73	13.77	13.83	13.87	13.90										
Počet EO	os.	119	120	120	121	122	122	122	123	124	125	125	126	126										
odp.vod likv.na ČOV	m3/den	16.30	16.30	16.38	16.49	16.65	16.75	16.83	16.92	17.02	17.10	17.20	17.29	17.55										
odp.vod likv.v septicích	m3/den	2.55	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.85	2.85	2.85	2.85	2.70										
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT																								
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf																						
Množství odpadních vod	m3/den	16.30	16.30	16.38	16.49	16.65	16.75	16.83	16.92	17.02	17.10	17.20	17.29	17.55										
BSK5	kg/d	6.15	6.15	6.17	6.20	6.24	6.28	6.30	6.32	6.35	6.37	6.41	6.43	6.50										
NL	kg/d	5.63	5.63	5.65	5.68	5.72	5.75	5.77	5.79	5.82	5.84	5.87	5.89	5.96										
CHSK	kg/d	11.27	11.27	11.30	11.37	11.44	11.50	11.54	11.58	11.64	11.68	11.74	11.78	11.92										
PŘÍTOK NA ČOV																								
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0										
Typ ČOV		žádná																						
KONCENTRACE NA ODTOKU		stávající a navrhované řešení																						
	-	<table><tr><td>BSK5</td><td>NL</td><td>CHSK</td><td>N-celk</td><td>P-celk</td></tr><tr><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td></tr></table>													BSK5	NL	CHSK	N-celk	P-celk	0.00	0.00	0.00	0.00	0.00
BSK5	NL	CHSK	N-celk	P-celk																				
0.00	0.00	0.00	0.00	0.00																				
	mg/l																							
Množství vyčišť.odp.vod	m3/den	2.55	2.70	2.70	2.70	2.70	2.70	2.70	2.70	2.85	2.85	2.85	2.85	2.70										
ODSTRANĚNÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	0.51	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.57	0.57	0.57	0.57	0.54										
NL	kg/d	0.55	0.59	0.59	0.59	0.59	0.59	0.59	0.59	0.62	0.62	0.62	0.62	0.59										
CHSK	kg/d	0.85	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.95	0.95	0.95	0.95	0.90										
ZBYTKOVÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	0.51	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.57	0.57	0.57	0.57	0.54										
NL	kg/d	0.38	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.43	0.43	0.43	0.43	0.41										
CHSK	kg/d	1.02	1.08	1.08	1.08	1.08	1.08	1.08	1.08	1.14	1.14	1.14	1.14	1.08										
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
Způsob likv.kalu																								
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										

CZ042.3502.4212.0278.05 Panský

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	1.40	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32
BSK5	kg/d	0.65	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
NL	kg/d	0.60	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58
CHSK	kg/d	1.19	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16
Počet EO	os.	10	10	10	10	10	10	10	10	10	10	10	10	10
odp.vod likv.na ČOV	m3/den	1.40	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf												
Množství odpadních vod	m3/den	1.40	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32
BSK5	kg/d	0.65	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
NL	kg/d	0.60	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58
CHSK	kg/d	1.19	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišt.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0278.06 Valdek

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	1.40	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32
BSK5	kg/d	0.65	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
NL	kg/d	0.60	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58
CHSK	kg/d	1.19	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16
Počet EO	os.	10	10	10	10	10	10	10	10	10	10	10	10	10
odp.vod likv.na ČOV	m3/den	1.40	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Varnsdorf												
Množství odpadních vod	m3/den	1.40	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32
BSK5	kg/d	0.65	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
NL	kg/d	0.60	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58	0.58
CHSK	kg/d	1.19	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.16
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišt.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0279.01 Šluknov

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	624.72	621.49	618.19	614.89	611.74	608.51	605.21	602.06	601.49	598.34	595.04	591.74	588.59
BSK5	kg/d	249.66	248.38	247.06	245.74	244.48	243.20	241.88	240.62	240.86	239.60	238.28	236.96	235.70
NL	kg/d	228.85	227.68	226.47	225.26	224.10	222.93	221.72	220.56	220.78	219.63	218.42	217.21	216.05
CHSK	kg/d	457.70	455.35	452.93	450.51	448.20	445.86	443.44	441.13	441.57	439.26	436.84	434.42	432.11
Počet EO	os.	4160	4139	4117	4095	4074	4053	4031	4010	4014	3993	3971	3949	3928
odp.vod likv.na ČOV	m3/den	612.27	609.19	605.89	602.74	599.59	596.51	593.21	590.21	601.49	598.34	595.04	591.74	588.59
odp.vod likv.v septicích	m3/den	12.45	12.30	12.30	12.15	12.15	12.00	12.00	11.85	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT 2018 Císařský, 2018 Harrachov, 2018 Království, 2018 Kunratice, 2018 Nové Hraběcí, 2018 Rožany														
Množství odpadních vod	m3/den	88.04	87.54	87.13	86.66	86.26	85.85	85.37	84.73	124.09	123.32	122.79	122.02	121.55
BSK5	kg/d	24.04	23.96	23.86	23.72	23.62	23.52	23.40	23.22	43.35	43.09	42.89	42.63	42.46
NL	kg/d	19.69	19.53	19.36	19.31	19.25	19.20	19.03	18.87	11.33	11.22	11.22	11.17	11.11
CHSK	kg/d	39.38	39.05	38.72	38.61	38.50	38.39	38.06	37.73	22.66	22.44	22.44	22.33	22.22
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY														
Množství odpadních vod	m3/den	4.02	3.94	3.94	3.94	3.94	3.86	3.86	3.86	0.74	0.74	0.74	0.74	0.74
BSK5	kg/d	1.38	1.36	1.36	1.36	1.36	1.34	1.34	1.34	0.56	0.56	0.56	0.56	0.56
NL	kg/d	1.26	1.24	1.24	1.24	1.24	1.22	1.22	1.22	0.51	0.51	0.51	0.51	0.51
CHSK	kg/d	2.52	2.48	2.48	2.48	2.48	2.45	2.45	2.45	1.02	1.02	1.02	1.02	1.02
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	700.31	696.73	693.02	689.40	685.85	682.36	678.58	674.94	725.58	721.66	717.83	713.76	710.14
BSK5	kg/d	268.72	267.42	266.00	264.60	263.24	261.92	260.48	259.10	284.20	282.68	281.16	279.58	278.16
NL	kg/d	243.93	242.66	241.29	240.08	238.87	237.71	236.34	235.07	232.10	230.84	229.63	228.36	227.15
CHSK	kg/d	487.85	485.32	482.57	480.15	477.73	475.42	472.67	470.14	464.20	461.67	459.25	456.72	454.30
Počet EO	os.	4478	4456	4433	4409	4387	4365	4341	4318	4736	4711	4686	4659	4636
Typ ČOV		Akt. č. denitrif.+nitrif.												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5 NL CHSK N-celk P-celk												
	mg/l	4.80 10.00 30.00 0.00 2.32												
Množství vyčištěn.odp.vod	m3/den	712.76	709.03	705.32	701.55	698.00	694.36	690.58	686.79	725.58	721.66	717.83	713.76	710.14
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	267.84	266.53	265.13	263.72	262.37	261.04	259.62	258.23	280.72	279.22	277.71	276.15	274.75
NL	kg/d	239.62	238.36	237.02	235.81	234.64	233.49	232.15	230.89	224.84	223.62	222.45	221.22	220.05
CHSK	kg/d	470.99	468.52	465.88	463.52	461.20	458.95	456.31	453.84	442.43	440.02	437.72	435.31	433.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	5.85	5.80	5.79	5.74	5.72	5.68	5.66	5.61	3.48	3.46	3.45	3.43	3.41
NL	kg/d	8.87	8.81	8.78	8.72	8.68	8.62	8.59	8.53	7.26	7.22	7.18	7.14	7.10
CHSK	kg/d	25.99	25.82	25.71	25.54	25.44	25.27	25.16	24.99	21.77	21.65	21.53	21.41	21.30
Produkce kalu	m3/r	19.72	19.63	19.53	19.42	19.32	19.23	19.12	19.02	20.84	20.73	20.62	20.50	20.40
Způsob likv.kalu		odvoz na jinou ČOV												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0279.02 Císařský

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	47.72	47.48	47.17	47.00	46.69	46.53	46.22	45.98	72.00	71.55	71.25	70.80	70.50
BSK5	kg/d	14.54	14.48	14.38	14.34	14.24	14.20	14.10	14.04	29.12	28.94	28.82	28.64	28.52
NL	kg/d	13.32	13.27	13.18	13.14	13.05	13.01	12.92	12.87	26.69	26.52	26.41	26.25	26.14
CHSK	kg/d	26.65	26.54	26.35	26.28	26.10	26.02	25.84	25.73	53.38	53.05	52.83	52.50	52.28
Počet EO	os.	242	241	239	238	237	236	234	233	485	482	480	477	475
odp.vod likv.na ČOV	m3/den	34.22	34.13	33.97	33.80	33.49	33.48	33.17	33.08	72.00	71.55	71.25	70.80	70.50
odp.vod likv.v septicích	m3/den	13.50	13.35	13.20	13.20	13.20	13.05	13.05	12.90	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Šluknov, 2026 Šluknov												
Množství odpadních vod	m3/den	32.87	32.63	32.47	32.30	32.14	31.98	31.82	31.58	0.90	0.90	0.90	0.90	0.90
BSK5	kg/d	8.60	8.54	8.50	8.46	8.42	8.38	8.34	8.28	0.68	0.68	0.68	0.68	0.68
NL	kg/d	7.88	7.82	7.79	7.75	7.71	7.68	7.64	7.59	0.62	0.62	0.62	0.62	0.62
CHSK	kg/d	15.76	15.65	15.57	15.50	15.43	15.35	15.28	15.17	1.24	1.24	1.24	1.24	1.24
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	1.35	1.50	1.50	1.50	1.35	1.50	1.35	1.50	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.54	0.60	0.60	0.60	0.54	0.60	0.54	0.60	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	9	10	10	10	9	10	9	10	0	0	0	0	0
Typ ČOV		Domovní mikročist.,biof.												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	30.0030.00110.0030.006.00												
Množství vyčišt.odp.vod	m3/den	14.85	14.85	14.70	14.70	14.55	14.55	14.40	14.40	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	3.20	3.23	3.20	3.20	3.14	3.17	3.11	3.14	0.00	0.00	0.00	0.00	0.00
NL	kg/d	2.88	2.85	2.82	2.82	2.82	2.78	2.79	2.75	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	4.35	4.29	4.24	4.24	4.25	4.19	4.20	4.14	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	2.74	2.72	2.69	2.69	2.68	2.66	2.65	2.63	0.00	0.00	0.00	0.00	0.00
NL	kg/d	2.07	2.05	2.03	2.03	2.02	2.00	2.00	1.98	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	5.55	5.51	5.45	5.45	5.43	5.39	5.37	5.33	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.06	0.07	0.07	0.07	0.06	0.07	0.06	0.07	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu		neurčeno												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0279.03 Harrachov

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	2.02	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94
BSK5	kg/d	0.72	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70
NL	kg/d	0.66	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64
CHSK	kg/d	1.31	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27
Počet EO	os.	11	11	11	11	11	11	11	11	11	11	11	11	11
odp.vod likv.na ČOV	m3/den	2.02	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Šluknov												
Množství odpadních vod	m3/den	2.02	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94
BSK5	kg/d	0.72	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70
NL	kg/d	0.66	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64
CHSK	kg/d	1.31	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5					NL	CHSK	N-celk	P-celk				
	mg/l	0.00					0.00	0.00	0.00	0.00				
Množství vyčišt.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0279.05 Království

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	50.19	49.94	49.63	49.40	49.09	48.93	48.62	48.31	48.14	47.83	47.60	47.29	47.13
BSK5	kg/d	15.62	15.56	15.46	15.38	15.28	15.24	15.14	15.04	15.00	14.90	14.82	14.72	14.68
NL	kg/d	14.32	14.26	14.17	14.10	14.01	13.97	13.88	13.79	13.75	13.66	13.59	13.49	13.46
CHSK	kg/d	28.64	28.53	28.34	28.20	28.01	27.94	27.76	27.57	27.50	27.32	27.17	26.99	26.91
Počet EO	os.	260	259	257	256	254	254	252	250	250	248	247	245	244
odp.vod likv.na ČOV	m3/den	35.94	35.84	35.68	35.45	35.29	35.13	34.97	34.66	34.49	34.33	34.10	33.94	33.78
odp.vod likv.v septicích	m3/den	14.25	14.10	13.95	13.95	13.80	13.80	13.65	13.65	13.65	13.50	13.50	13.35	13.35
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY 2018 Šluknov, 2018 Šluknov														
Množství odpadních vod	m3/den	35.19	35.24	35.08	34.85	34.69	34.53	34.37	34.06	33.89	33.73	33.50	33.34	33.18
BSK5	kg/d	9.62	9.68	9.64	9.56	9.52	9.48	9.44	9.34	9.30	9.26	9.18	9.14	9.10
NL	kg/d	8.82	8.87	8.84	8.76	8.73	8.69	8.65	8.56	8.53	8.49	8.42	8.38	8.34
CHSK	kg/d	17.64	17.75	17.67	17.53	17.45	17.38	17.31	17.12	17.05	16.98	16.83	16.76	16.68
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		Domovní mikročist., biof.												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5 NL CHSK N-celk P-celk												
	mg/l	30.00 30.00 110.00 30.00 6.00												
Množství vyčišť.odp.vod	m3/den	14.25	14.10	13.95	13.95	13.80	13.80	13.65	13.65	13.65	13.50	13.50	13.35	13.35
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	2.85	2.82	2.79	2.79	2.76	2.76	2.73	2.73	2.73	2.70	2.70	2.67	2.67
NL	kg/d	3.09	3.06	3.02	3.02	2.99	2.99	2.96	2.96	2.96	2.93	2.93	2.89	2.89
CHSK	kg/d	4.75	4.70	4.65	4.65	4.60	4.60	4.55	4.55	4.55	4.50	4.50	4.45	4.45
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	2.85	2.82	2.79	2.79	2.76	2.76	2.73	2.73	2.73	2.70	2.70	2.67	2.67
NL	kg/d	2.14	2.12	2.09	2.09	2.07	2.07	2.05	2.05	2.05	2.03	2.03	2.00	2.00
CHSK	kg/d	5.70	5.64	5.58	5.58	5.52	5.52	5.46	5.46	5.46	5.40	5.40	5.34	5.34
Produkce kalu	m3/r	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Způsob likv.kalu		neurčeno												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0279.06 Kunratice

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	2.66	2.58	2.58	2.58	2.58	2.58	2.50	2.50	2.50	2.50	2.50	2.50	2.50
BSK5	kg/d	0.88	0.86	0.86	0.86	0.86	0.86	0.84	0.84	0.84	0.84	0.84	0.84	0.84
NL	kg/d	0.80	0.78	0.78	0.78	0.78	0.78	0.77	0.77	0.77	0.77	0.77	0.77	0.77
CHSK	kg/d	1.60	1.57	1.57	1.57	1.57	1.57	1.53	1.53	1.53	1.53	1.53	1.53	1.53
Počet EO	os.	14	14	14	14	14	14	13	13	13	13	13	13	13
odp.vod likv.na ČOV	m3/den	2.66	2.58	2.58	2.58	2.58	2.58	2.50	2.50	2.50	2.50	2.50	2.50	2.50
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Šluknov												
Množství odpadních vod	m3/den	2.66	2.58	2.58	2.58	2.58	2.58	2.50	2.50	2.50	2.50	2.50	2.50	2.50
BSK5	kg/d	0.88	0.86	0.86	0.86	0.86	0.86	0.84	0.84	0.84	0.84	0.84	0.84	0.84
NL	kg/d	0.80	0.78	0.78	0.78	0.78	0.78	0.77	0.77	0.77	0.77	0.77	0.77	0.77
CHSK	kg/d	1.60	1.57	1.57	1.57	1.57	1.57	1.53	1.53	1.53	1.53	1.53	1.53	1.53
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišť.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0279.07 Nové Hrabčcí

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	7.69	7.61	7.61	7.53	7.53	7.45	7.45	7.36	7.36	7.28	7.28	7.20	7.20
BSK5	kg/d	2.05	2.03	2.03	2.01	2.01	1.99	1.99	1.97	1.97	1.95	1.95	1.93	1.93
NL	kg/d	1.87	1.86	1.86	1.84	1.84	1.82	1.82	1.80	1.80	1.78	1.78	1.76	1.76
CHSK	kg/d	3.75	3.71	3.71	3.68	3.68	3.64	3.64	3.60	3.60	3.57	3.57	3.53	3.53
Počet EO	os.	34	33	33	33	33	33	33	32	32	32	32	32	32
odp.vod likv.na ČOV	m3/den	7.69	7.61	7.61	7.53	7.53	7.45	7.45	7.36	7.36	7.28	7.28	7.20	7.20
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Šluknov												
Množství odpadních vod	m3/den	7.69	7.61	7.61	7.53	7.53	7.45	7.45	7.36	7.36	7.28	7.28	7.20	7.20
BSK5	kg/d	2.05	2.03	2.03	2.01	2.01	1.99	1.99	1.97	1.97	1.95	1.95	1.93	1.93
NL	kg/d	1.87	1.86	1.86	1.84	1.84	1.82	1.82	1.80	1.80	1.78	1.78	1.76	1.76
CHSK	kg/d	3.75	3.71	3.71	3.68	3.68	3.64	3.64	3.60	3.60	3.57	3.57	3.53	3.53
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišt.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0279.08 Rožany

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030										
CELKOVÁ PRODUKCE																								
odpadních vod	m3/den	10.92	10.84	10.76	10.76	10.68	10.68	10.60	10.45	10.45	10.37	10.37	10.29	10.29										
BSK5	kg/d	3.51	3.49	3.47	3.47	3.45	3.45	3.43	3.37	3.37	3.35	3.35	3.33	3.33										
NL	kg/d	3.22	3.20	3.18	3.18	3.16	3.16	3.14	3.09	3.09	3.07	3.07	3.05	3.05										
CHSK	kg/d	6.44	6.40	6.36	6.36	6.33	6.33	6.29	6.18	6.18	6.14	6.14	6.11	6.11										
Počet EO	os.	58	58	57	57	57	57	57	56	56	55	55	55	55										
odp.vod likv.na ČOV	m3/den	7.62	7.54	7.46	7.46	7.38	7.38	7.30	7.30	7.30	7.22	7.22	7.14	7.14										
odp.vod likv.v septicích	m3/den	3.30	3.30	3.30	3.30	3.30	3.30	3.30	3.15	3.15	3.15	3.15	3.15	3.15										
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT																								
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Šluknov																						
Množství odpadních vod	m3/den	7.62	7.54	7.46	7.46	7.38	7.38	7.30	7.30	7.30	7.22	7.22	7.14	7.14										
BSK5	kg/d	2.19	2.17	2.15	2.15	2.13	2.13	2.11	2.11	2.11	2.09	2.09	2.07	2.07										
NL	kg/d	2.01	1.99	1.97	1.97	1.95	1.95	1.93	1.93	1.93	1.92	1.92	1.90	1.90										
CHSK	kg/d	4.02	3.98	3.94	3.94	3.91	3.91	3.87	3.87	3.87	3.83	3.83	3.80	3.80										
PŘÍTOK NA ČOV																								
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0										
Typ ČOV		žádná																						
KONCENTRACE NA ODTOKU		stávající a navrhované řešení																						
	-	<table><tr><td>BSK5</td><td>NL</td><td>CHSK</td><td>N-celk</td><td>P-celk</td></tr><tr><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td></tr></table>													BSK5	NL	CHSK	N-celk	P-celk	0.00	0.00	0.00	0.00	0.00
BSK5	NL	CHSK	N-celk	P-celk																				
0.00	0.00	0.00	0.00	0.00																				
	mg/l																							
Množství vyčišť.odp.vod	m3/den	3.30	3.30	3.30	3.30	3.30	3.30	3.30	3.15	3.15	3.15	3.15	3.15	3.15										
ODSTRANĚNÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.63	0.63	0.63	0.63	0.63	0.63										
NL	kg/d	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.68	0.68	0.68	0.68	0.68	0.68										
CHSK	kg/d	1.10	1.10	1.10	1.10	1.10	1.10	1.10	1.05	1.05	1.05	1.05	1.05	1.05										
ZBYTKOVÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	0.66	0.66	0.66	0.66	0.66	0.66	0.66	0.63	0.63	0.63	0.63	0.63	0.63										
NL	kg/d	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.47	0.47	0.47	0.47	0.47	0.47										
CHSK	kg/d	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.26	1.26	1.26	1.26	1.26	1.26										
Produkce kalu	m3/r	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01										
Způsob likv.kalu																								
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										

CZ042.3502.4212.0280.01 Velký Šenov

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	224.16	223.77	223.47	223.17	222.87	222.63	222.18	221.88	221.58	230.85	230.55	230.25	229.95
BSK5	kg/d	87.13	86.99	86.87	86.75	86.63	86.55	86.37	86.25	86.13	92.13	92.01	91.89	91.77
NL	kg/d	79.87	79.74	79.63	79.52	79.41	79.34	79.17	79.06	78.95	84.45	84.34	84.23	84.12
CHSK	kg/d	159.74	159.48	159.26	159.04	158.82	158.68	158.35	158.13	157.91	168.91	168.69	168.47	168.25
Počet EO	os.	1452	1449	1447	1445	1443	1442	1439	1437	1435	1535	1533	1531	1529
odp.vod likv.na ČOV	m3/den	224.16	223.77	223.47	223.17	222.87	222.63	222.18	221.88	221.58	230.85	230.55	230.25	229.95
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT 2018 Horní Poustevna, 2018 Karlín, 2018 Lipová, 2018 Lobendava, 2018 Severní, 2018 Mikulášovice, 2018 Salmov														
Množství odpadních vod	m3/den	207.95	206.57	205.79	204.65	203.72	202.84	201.60	200.52	199.51	198.42	197.57	196.64	160.54
BSK5	kg/d	61.98	61.64	61.44	61.07	60.81	60.60	60.23	59.91	59.62	59.32	59.07	58.81	50.30
NL	kg/d	33.22	32.84	32.73	32.56	32.45	32.34	32.18	31.96	31.85	31.74	31.63	31.41	22.61
CHSK	kg/d	66.44	65.67	65.45	65.12	64.90	64.68	64.35	63.91	63.69	63.47	63.25	62.81	45.21
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY														
Množství odpadních vod	m3/den	13.56	13.47	13.47	13.47	13.47	13.38	13.38	13.38	13.38	0.00	0.00	0.00	0.00
BSK5	kg/d	3.10	3.08	3.08	3.08	3.08	3.06	3.06	3.06	3.06	0.00	0.00	0.00	0.00
NL	kg/d	2.84	2.82	2.82	2.82	2.82	2.81	2.81	2.81	2.81	0.00	0.00	0.00	0.00
CHSK	kg/d	5.68	5.65	5.65	5.65	5.65	5.61	5.61	5.61	5.61	0.00	0.00	0.00	0.00
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	432.11	430.34	429.26	427.82	426.59	425.48	423.79	422.41	421.09	429.27	428.12	426.89	390.49
BSK5	kg/d	149.11	148.63	148.31	147.82	147.44	147.15	146.61	146.16	145.76	151.45	151.09	150.70	142.07
NL	kg/d	113.08	112.53	112.31	112.04	111.82	111.65	111.32	110.99	110.77	116.16	115.94	115.61	106.70
CHSK	kg/d	226.16	225.06	224.62	224.07	223.63	223.30	222.64	221.98	221.54	232.32	231.88	231.22	213.40
Počet EO	os.	2485	2477	2471	2463	2457	2452	2443	2436	2429	2524	2518	2511	2367
Typ ČOV		Aktivační čistírna												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5 NL CHSK N-celk P-celk												
	mg/l	20.00 20.00 90.00 35.00 8.00												
Množství vyčišt.odp.vod	m3/den	432.11	430.34	429.26	427.82	426.59	425.48	423.79	422.41	421.09	429.27	428.12	426.89	390.49
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	140.47	140.02	139.72	139.26	138.90	138.64	138.13	137.71	137.33	142.86	142.52	142.16	134.26
NL	kg/d	104.44	103.92	103.72	103.48	103.28	103.14	102.84	102.54	102.35	107.57	107.38	107.07	98.89
CHSK	kg/d	187.27	186.33	185.99	185.57	185.24	185.01	184.50	183.96	183.64	193.69	193.35	192.80	178.26
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	8.64	8.61	8.59	8.56	8.53	8.51	8.48	8.45	8.42	8.59	8.56	8.54	7.81
NL	kg/d	8.64	8.61	8.59	8.56	8.53	8.51	8.48	8.45	8.42	8.59	8.56	8.54	7.81
CHSK	kg/d	38.89	38.73	38.63	38.50	38.39	38.29	38.14	38.02	37.90	38.63	38.53	38.42	35.14
Produkce kalu	m3/r	10.93	10.90	10.87	10.84	10.81	10.79	10.75	10.72	10.69	11.11	11.08	11.05	10.41
Způsob likv.kalu		odvoz na jinou ČOV												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0280.02 Janovka

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	2.80	2.72	2.74	2.76	2.78	2.80	2.82	2.84	2.86	2.88	2.90	2.92	5.36
BSK5	kg/d	0.94	0.92	0.94	0.95	0.97	0.98	1.00	1.01	1.03	1.04	1.06	1.07	1.92
NL	kg/d	0.86	0.84	0.86	0.87	0.88	0.90	0.91	0.93	0.94	0.95	0.97	0.98	1.76
CHSK	kg/d	1.72	1.69	1.71	1.74	1.77	1.80	1.82	1.85	1.88	1.91	1.93	1.96	3.51
Počet EO	os.	15	15	15	15	16	16	16	16	17	17	17	17	31
odp.vod likv.na ČOV	m3/den	2.80	2.72	2.74	2.76	2.78	2.80	2.82	2.84	2.86	2.88	2.90	2.92	5.36
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY 2018 Velký Šenov														
Množství odpadních vod	m3/den	2.80	2.72	2.74	2.76	2.78	2.80	2.82	2.84	2.86	2.88	2.90	2.92	1.46
BSK5	kg/d	0.94	0.92	0.94	0.95	0.97	0.98	1.00	1.01	1.03	1.04	1.06	1.07	0.54
NL	kg/d	0.86	0.84	0.86	0.87	0.88	0.90	0.91	0.93	0.94	0.95	0.97	0.98	0.49
CHSK	kg/d	1.72	1.69	1.71	1.74	1.77	1.80	1.82	1.85	1.88	1.91	1.93	1.96	0.98
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.90
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.38
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	23
Typ ČOV		žádná					Domovní mikročist., biof.							
KONCENTRACE NA ODTOKU		stávající					navrhované řešení							
	-	BSK5	NL	CHSK	N-celk	P-celk	BSK5	NL	CHSK	N-celk	P-celk			
	mg/l	0.00	0.00	0.00	0.00	0.00	30.00	30.00	110.00	30.00	6.00			
Množství vyčišt.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.90
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.26
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.43
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10
Způsob likv.kalu		neurčeno												
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0280.04 Leopoldka

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	11.82	11.74	11.74	11.59	11.59	11.51	11.51	11.36	11.36	11.28	11.28	11.13	10.10
BSK5	kg/d	4.08	4.06	4.06	4.00	4.00	3.98	3.98	3.92	3.92	3.90	3.90	3.84	3.24
NL	kg/d	3.74	3.72	3.72	3.67	3.67	3.65	3.65	3.59	3.59	3.58	3.58	3.52	2.97
CHSK	kg/d	7.48	7.44	7.44	7.33	7.33	7.30	7.30	7.19	7.19	7.15	7.15	7.04	5.94
Počet EO	os.	68	67	67	66	66	66	66	65	65	65	65	64	54
odp.vod likv.na ČOV	m3/den	5.82	5.89	5.89	5.74	5.74	5.81	5.81	5.66	5.66	5.58	5.58	5.58	10.10
odp.vod likv.v septicích	m3/den	6.00	5.85	5.85	5.85	5.85	5.70	5.70	5.70	5.70	5.70	5.70	5.55	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY 2018 Velký Šenov, 2018 Velký Šenov														
Množství odpadních vod	m3/den	5.82	5.89	5.89	5.74	5.74	5.81	5.81	5.66	5.66	5.58	5.58	5.58	10.10
BSK5	kg/d	1.68	1.72	1.72	1.66	1.66	1.70	1.70	1.64	1.64	1.62	1.62	1.62	3.24
NL	kg/d	1.54	1.58	1.58	1.52	1.52	1.56	1.56	1.50	1.50	1.49	1.49	1.49	2.97
CHSK	kg/d	3.08	3.15	3.15	3.04	3.04	3.12	3.12	3.01	3.01	2.97	2.97	2.97	5.94
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5 NL CHSK N-celk P-celk												
	mg/l	0.00 0.00 0.00 0.00 0.00												
Množství vyčišt.odp.vod	m3/den	6.00	5.85	5.85	5.85	5.85	5.70	5.70	5.70	5.70	5.70	5.70	5.55	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	1.20	1.17	1.17	1.17	1.17	1.14	1.14	1.14	1.14	1.14	1.14	1.11	0.00
NL	kg/d	1.30	1.27	1.27	1.27	1.27	1.24	1.24	1.24	1.24	1.24	1.24	1.20	0.00
CHSK	kg/d	2.00	1.95	1.95	1.95	1.95	1.90	1.90	1.90	1.90	1.90	1.90	1.85	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	1.20	1.17	1.17	1.17	1.17	1.14	1.14	1.14	1.14	1.14	1.14	1.11	0.00
NL	kg/d	0.90	0.88	0.88	0.88	0.88	0.86	0.86	0.86	0.86	0.86	0.86	0.83	0.00
CHSK	kg/d	2.40	2.34	2.34	2.34	2.34	2.28	2.28	2.28	2.28	2.28	2.28	2.22	0.00
Produkce kalu	m3/r	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0280.05 Malý Šenov

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	7.00	6.92	6.92	6.92	6.92	6.92	6.92	6.92	6.92	6.92	6.92	6.92	6.92
BSK5	kg/d	2.49	2.47	2.47	2.47	2.47	2.47	2.47	2.47	2.47	2.47	2.47	2.47	2.47
NL	kg/d	2.28	2.26	2.26	2.26	2.26	2.26	2.26	2.26	2.26	2.26	2.26	2.26	2.26
CHSK	kg/d	4.56	4.52	4.52	4.52	4.52	4.52	4.52	4.52	4.52	4.52	4.52	4.52	4.52
Počet EO	os.	41	41	41	41	41	41	41	41	41	41	41	41	41
odp.vod likv.na ČOV	m3/den	6.10	6.17	6.17	6.17	6.17	6.17	6.17	6.17	6.17	6.17	6.17	6.17	6.02
odp.vod likv.v septicích	m3/den	0.90	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.90
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Velký Šenov, 2030 Velký Šenov												
Množství odpadních vod	m3/den	6.10	6.17	6.17	6.17	6.17	6.17	6.17	6.17	6.17	6.17	6.17	6.17	6.02
BSK5	kg/d	2.13	2.17	2.17	2.17	2.17	2.17	2.17	2.17	2.17	2.17	2.17	2.17	2.11
NL	kg/d	1.95	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.93
CHSK	kg/d	3.90	3.97	3.97	3.97	3.97	3.97	3.97	3.97	3.97	3.97	3.97	3.97	3.86
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5					NL	CHSK	N-celk	P-celk				
	mg/l	0.00					0.00	0.00	0.00	0.00				
Množství vyčišť.odp.vod	m3/den	0.90	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.90
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.18	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.18
NL	kg/d	0.20	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.20
CHSK	kg/d	0.30	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.30
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.18	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.18
NL	kg/d	0.14	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.11	0.14
CHSK	kg/d	0.36	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.30	0.36
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0280.06 Staré Hrabčcí

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96
BSK5	kg/d	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71
NL	kg/d	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65
CHSK	kg/d	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30
Počet EO	os.	11	11	11	11	11	11	11	11	11	11	11	11	11
odp.vod likv.na ČOV	m3/den	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Velký Šenov												
Množství odpadních vod	m3/den	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96
BSK5	kg/d	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71
NL	kg/d	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65
CHSK	kg/d	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišt.odp.vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CZ042.3502.4212.0281.01 Vilémov

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030										
CELKOVÁ PRODUKCE																								
odpadních vod	m3/den	110.17	109.63	109.02	108.41	107.95	107.34	106.80	106.19	105.73	105.12	104.51	103.90	105.82										
BSK5	kg/d	39.41	39.23	39.01	38.79	38.63	38.41	38.23	38.01	37.85	37.63	37.41	37.19	38.39										
NL	kg/d	36.13	35.96	35.76	35.56	35.41	35.21	35.04	34.84	34.70	34.49	34.29	34.09	35.19										
CHSK	kg/d	72.25	71.92	71.52	71.12	70.82	70.42	70.09	69.69	69.39	68.99	68.59	68.18	70.38										
Počet EO	os.	656	653	650	646	643	640	637	633	630	627	623	619	639										
odp.vod likv.na ČOV	m3/den	110.17	109.63	109.02	108.41	107.95	107.34	106.80	106.19	105.73	105.12	104.51	103.90	105.82										
odp.vod likv.v septicích	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT																								
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Velký Šenov																						
Množství odpadních vod	m3/den	34.12	33.88	33.72	33.56	33.40	33.24	33.00	32.84	32.68	32.52	32.36	32.20	29.32										
BSK5	kg/d	8.99	8.93	8.89	8.85	8.81	8.77	8.71	8.67	8.63	8.59	8.55	8.51	7.79										
NL	kg/d	8.24	8.19	8.15	8.11	8.08	8.04	7.98	7.95	7.91	7.87	7.84	7.80	7.14										
CHSK	kg/d	16.48	16.37	16.30	16.23	16.15	16.08	15.97	15.90	15.82	15.75	15.68	15.60	14.28										
PŘÍTOK NA ČOV																								
Množství odpadních vod	m3/den	76.05	75.75	75.30	74.85	74.55	74.10	73.80	73.35	73.05	72.60	72.15	71.70	76.50										
BSK5	kg/d	30.42	30.30	30.12	29.94	29.82	29.64	29.52	29.34	29.22	29.04	28.86	28.68	30.60										
NL	kg/d	27.89	27.78	27.61	27.45	27.34	27.17	27.06	26.90	26.79	26.62	26.46	26.29	28.05										
CHSK	kg/d	55.77	55.55	55.22	54.89	54.67	54.34	54.12	53.79	53.57	53.24	52.91	52.58	56.10										
Počet EO	os.	507	505	502	499	497	494	492	489	487	484	481	478	510										
Typ ČOV		Aktivační čistírna																						
KONCENTRACE NA ODTOKU		stávající a navrhované řešení																						
	-	<table><tr><td>BSK5</td><td>NL</td><td>CHSK</td><td>N-celk</td><td>P-celk</td></tr><tr><td>15.00</td><td>25.00</td><td>80.00</td><td>0.00</td><td>0.00</td></tr></table>													BSK5	NL	CHSK	N-celk	P-celk	15.00	25.00	80.00	0.00	0.00
BSK5	NL	CHSK	N-celk	P-celk																				
15.00	25.00	80.00	0.00	0.00																				
	mg/l																							
Množství vyčišť.odp.vod	m3/den	76.05	75.75	75.30	74.85	74.55	74.10	73.80	73.35	73.05	72.60	72.15	71.70	76.50										
ODSTRANĚNÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	29.28	29.16	28.99	28.82	28.70	28.53	28.41	28.24	28.12	27.95	27.78	27.60	29.45										
NL	kg/d	25.98	25.88	25.73	25.57	25.47	25.32	25.22	25.06	24.96	24.81	24.65	24.50	26.14										
CHSK	kg/d	49.69	49.49	49.20	48.90	48.71	48.41	48.22	47.92	47.73	47.43	47.14	46.84	49.98										
ZBYTKOVÉ ZNEČIŠTĚNÍ																								
BSK5	kg/d	1.14	1.14	1.13	1.12	1.12	1.11	1.11	1.10	1.10	1.09	1.08	1.08	1.15										
NL	kg/d	1.90	1.89	1.88	1.87	1.86	1.85	1.85	1.83	1.83	1.82	1.80	1.79	1.91										
CHSK	kg/d	6.08	6.06	6.02	5.99	5.96	5.93	5.90	5.87	5.84	5.81	5.77	5.74	6.12										
Produkce kalu	m3/r	2.23	2.22	2.21	2.20	2.19	2.17	2.16	2.15	2.14	2.13	2.12	2.10	2.24										
Způsob likv.kalu		odvoz na jinou ČOV																						
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00										

CZ042.3502.4212.0281.02 Dolina

č. a název lokality

	jedn.	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
CELKOVÁ PRODUKCE														
odpadních vod	m3/den	1.32	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24	1.24
BSK5	kg/d	0.42	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40
NL	kg/d	0.39	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37
CHSK	kg/d	0.77	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73
Počet EO	os.	7	6	6	6	6	6	6	6	6	6	6	6	6
odp.vod likv.na ČOV	m3/den	0.72	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64
odp.vod likv.v septicích	m3/den	0.60	0.60	0.60	0.60	0.60	0.60	0.60	0.60	0.60	0.60	0.60	0.60	0.60
odp.vod likv.jiným způsobem	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PŘÍSUN ODPADNÍCH VOD Z JINÝCH LOKALIT														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ODVEDENÍ ODP.VOD NA JINÉ LOKALITY		2018 Velký Šenov												
Množství odpadních vod	m3/den	0.72	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64	0.64
BSK5	kg/d	0.18	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.16
NL	kg/d	0.17	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15
CHSK	kg/d	0.33	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.29
PŘÍTOK NA ČOV														
Množství odpadních vod	m3/den	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
BSK5	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NL	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CHSK	kg/d	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Počet EO	os.	0	0	0	0	0	0	0	0	0	0	0	0	0
Typ ČOV		žádná												
KONCENTRACE NA ODTOKU		stávající a navrhované řešení												
	-	BSK5NLCHSKN-celkP-celk												
	mg/l	0.000.000.000.000.00												
Množství vyčišt.odp.vod	m3/den	0.60	0.60	0.60	0.60	0.60	0.60	0.60	0.60	0.60	0.60	0.60	0.60	0.60
ODSTRANĚNÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
NL	kg/d	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13
CHSK	kg/d	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
ZBYTKOVÉ ZNEČIŠTĚNÍ														
BSK5	kg/d	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
NL	kg/d	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09
CHSK	kg/d	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24
Produkce kalu	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Způsob likv.kalu														
Množství kalu po odvodnění	m3/r	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00